

Title (en)

Sintered valve guide and manufacturing method thereof

Title (de)

Gesinterte Ventilschaftführung und Verfahren zur Herstellung davon

Title (fr)

Guide de soupape fritté et procédé de sa fabrication

Publication

**EP 1619263 A1 20060125 (EN)**

Application

**EP 05015445 A 20050715**

Priority

JP 2004209064 A 20040715

Abstract (en)

Disclosed is a sintered valve guide formed of a sintered alloy consisting essentially of 3.5 to 5 % copper, 0.3 to 0.6 % tin, 0.04 to 0.15 % phosphorus, 1.5 to 2.5 % carbon and the balance iron, by mass, and as occasion needs, further containing 0.46 to 1.41 % metal oxide, and MnS and/or magnesium silicate. The metallographic structure has: a matrix containing a pearlite phase, a Fe-P-C compound phase and a Cu-Sn alloy phase; pores; and a graphite of 1.2 to 1.7 % by mass of the sintered alloy. In the cross section, the ratio of the pearlite phase to the matrix is 90 area % or more, the ratio of the Fe-P-C com

IPC 8 full level

**C22C 33/02** (2006.01); **B22F 1/00** (2006.01); **C22C 9/02** (2006.01); **C22C 32/00** (2006.01); **C22C 38/00** (2006.01); **C22C 38/16** (2006.01); **F01L 3/08** (2006.01); **F16C 33/12** (2006.01)

CPC (source: EP KR US)

**B22F 3/10** (2013.01 - KR); **C22C 1/04** (2013.01 - KR); **C22C 9/02** (2013.01 - EP KR US); **C22C 33/0214** (2013.01 - EP KR US); **C22C 33/0228** (2013.01 - EP KR US); **C22C 38/002** (2013.01 - EP KR US); **C22C 38/008** (2013.01 - EP KR US); **C22C 38/16** (2013.01 - EP KR US); **F01L 3/02** (2013.01 - EP US); **F01L 3/08** (2013.01 - EP KR US); **B22F 2998/00** (2013.01 - EP KR US); **B22F 2999/00** (2013.01 - EP KR US); **F01L 2301/00** (2020.05 - EP KR US)

Citation (applicant)

- JP S5534858 B2 19800910
- JP 2680927 B2 19971119
- JP 2002069597 A 20020308 - HITACHI POWDERED METALS
- JP S5534853 B2 19800910

Citation (search report)

- [X] US 2002023518 A1 20020228 - CHIKAHATA KATSUNAO [JP], et al
- [XA] EP 0481763 A1 19920422 - HITACHI POWDERED METALS [JP]
- [A] EP 0420309 A1 19910403 - BRICO ENG [GB]
- [A] US 6012703 A 20000111 - HAYASHI KOICHIRO [JP], et al
- [A] EP 0621347 A1 19941026 - MITSUBISHI MATERIALS CORP [JP], et al
- [A] US 4344795 A 19820817 - ENDO HIROYUKI, et al
- [A] PATENT ABSTRACTS OF JAPAN vol. 001, no. 005 (M - 004) 11 March 1977 (1977-03-11)
- [A] PATENT ABSTRACTS OF JAPAN vol. 2002, no. 07 3 July 2002 (2002-07-03)
- [A] PATENT ABSTRACTS OF JAPAN vol. 014, no. 110 (M - 0943) 28 February 1990 (1990-02-28)
- [A] PATENT ABSTRACTS OF JAPAN vol. 014, no. 265 (C - 0726) 8 June 1990 (1990-06-08)
- [A] PATENT ABSTRACTS OF JAPAN vol. 018, no. 271 (C - 1203) 24 May 1994 (1994-05-24) & "IC engine valve guide - is sintered ferrous alloy contg. controlled amts. of carbon, copper, tin and phosphorus", DERWENT, 1980, XP002274790

Cited by

EP2488318A4; EP2474637A1; CN114466719A; AT509868A4; AT509868B1; EP2444182A1; DE102010055463C5; US9027249B2; US10232438B2; US9255575B2; US8876935B2; US9212572B2; WO2011154039A1; WO2021063653A1

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

**EP 1619263 A1 20060125; EP 1619263 B1 20190424**; CN 100516271 C 20090722; CN 1721566 A 20060118; KR 20060050208 A 20060519; US 2006032328 A1 20060216

DOCDB simple family (application)

**EP 05015445 A 20050715**; CN 200510084201 A 20050715; KR 20050064172 A 20050715; US 18263805 A 20050714