

Title (en)
Microswitch

Title (de)
Mikroschalter

Title (fr)
Microrupteur

Publication
EP 1619701 B1 20070131 (DE)

Application
EP 05011368 A 20050525

Priority
DE 102004035193 A 20040721

Abstract (en)
[origin: EP1619701A1] A support protrusion is provided on switching rod (4) on the opposite side to a cantilever arm (9), and spaced apart from the switching rod, so as to act on a resilient part of a spring (14). When the switching rod is pressed down, a torque (M) is applied via the support protrusion to the cantilever arm, in the opening direction of a contact bridge (13).

IPC 8 full level
H01H 3/00 (2006.01); **H01H 13/36** (2006.01)

CPC (source: EP US)
H01H 3/001 (2013.01 - EP US); **H01H 13/36** (2013.01 - EP US)

Cited by
DE202018107322U1

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
EP 1619701 A1 20060125; EP 1619701 B1 20070131; CN 100345231 C 20071024; CN 1725397 A 20060125; DE 102004035193 A1 20060216; DE 502005000353 D1 20070322; NO 20053534 D0 20050719; NO 20053534 L 20051222; NO 329275 B1 20100927; US 2006016678 A1 20060126; US 7087851 B2 20060808

DOCDB simple family (application)
EP 05011368 A 20050525; CN 200510085088 A 20050720; DE 102004035193 A 20040721; DE 502005000353 T 20050525; NO 20053534 A 20050719; US 17983905 A 20050711