

Title (en)

Metering control with two different control laws for a backup control valve

Title (de)

Steuerung der Dosierung eines Sicherheitssteuerungssystems mit zwei getrennten Steuerungsgesetze

Title (fr)

Commande de dosage à deux lois de régulation dissociées pour régulateur de secours

Publication

EP 1624246 B1 20150617 (FR)

Application

EP 05300643 A 20050802

Priority

FR 0408612 A 20040804

Abstract (en)

[origin: EP1624246A1] The valve has a tachometric balance (20) with a beam having arms (24, 26) movable around a hinge pin (22) based on a force applied by a control rod (18) of a fuel distributor through a compressed spring (28). A rod (36) is associated to a control piston (38) for applying a force, opposing to the former force, on the beam through a compressed spring (40) to open the distributor during passage from one acceleration law to another law. An independent claim is also included for a turbo machine having a hydraulic control valve.

IPC 8 full level

F23K 5/14 (2006.01); **F02C 7/232** (2006.01); **F02C 9/28** (2006.01)

CPC (source: EP US)

F23K 5/147 (2013.01 - EP US)

Cited by

EP2870515A4

Designated contracting state (EPC)

DE ES FR GB IT

DOCDB simple family (publication)

EP 1624246 A1 20060208; **EP 1624246 B1 20150617**; BR PI0503336 A 20060321; BR PI0503336 B1 20180410; CA 2514435 A1 20060204; CA 2514435 C 20120320; CN 1740538 A 20060301; CN 1740538 B 20100512; FR 2874055 A1 20060210; FR 2874055 B1 20061124; JP 2006046345 A 20060216; JP 4686293 B2 20110525; RU 2005124344 A 20070210; RU 2319845 C2 20080320; UA 90994 C2 20100625; US 2006026947 A1 20060209; US 7395655 B2 20080708

DOCDB simple family (application)

EP 05300643 A 20050802; BR PI0503336 A 20050804; CA 2514435 A 20050801; CN 200510088576 A 20050804; FR 0408612 A 20040804; JP 2005225112 A 20050803; RU 2005124344 A 20050801; UA A200507711 A 20050802; US 19650605 A 20050804