

Title (en)

METHOD OF DRAINING A FLEXIBLE CONTAINER HOUSING A VISCOUS PRODUCT

Title (de)

VORRICHTUNG ZUM ENTFERNEN VON EINEM VISKOSEN PRODUKT AUS EINEM FLEXIBLEN BEHÄLTER

Title (fr)

PROCEDE DE VIDANGE D'UN CONTENEUR SOUPLE RENFERMANT UN PRODUIT VISQUEUX

Publication

EP 1625093 B1 20080109 (FR)

Application

EP 04707566 A 20040203

Priority

- FR 2004050039 W 20040203
- FR 0301724 A 20030213
- FR 0307872 A 20030630

Abstract (en)

[origin: FR2851242A1] A method of emptying a flexible container containing a viscous product and an equipment for implementing it. The viscous product has a viscosity at least 10 Pa.s and preferably 10-200000 Pa.s. Products are silicone oils and gums, polyorganosiloxane compositions (optionally in the form of aqueous emulsions) crosslinkable to elastomers by polyaddition, polycondensation or dehydrogeno(poly)condensation, organic polymers comprising reactive organosilicon groups and filled polymers in an aqueous or organic solvent comprising an acrylic polymer and crosslinkable into elastomers by drying. The method consists essentially of (1) employing a flexible container; (2) optionally transporting it from its storage area to the emptying area; (3) ensuring that at least one opening, preferably located in the lower part of the container, permits the flowing out of the viscous product; (4) exerting pressure on at least one delimited zone of the container by a means of exerting pressure consisting of a pressure means and/or pressor fluid so as to maintain the container in an inflated or partially inflated state on the one hand and speed up the outflow on the other; (5) depressurize at the end of emptying. The method employs an equipment comprising a pressor means comprising one or more pistons and an emptying tank to accommodate the container, or optionally its inner liner and designed as a female element capable of acting as a guide for the piston during the application of pressure. In replacement for a piston the pressure may be applied by an expanding bag placed supplied by a source of hydraulic pressure. Alternatively the equipment comprises a pressor means comprising at least one roller and a counter roller, preferably two rollers parallel to one another and freely rotating on their axes and a means of suspending the container with the opening at its base. The rollers are driven down the container by a motor and compress it; this action being combined with or replaced by a raising of the container. The equipment feeds a packaging assembly or means for transporting the viscous fluid, such as pumps or double screws. A means of regulating the inter-axis gap of the rollers and thus the degree of squeezing obtained is provided.

IPC 8 full level

B67D 7/02 (2010.01)

CPC (source: EP KR US)

B67D 7/02 (2013.01 - KR); **B67D 7/0216** (2013.01 - EP US); **B67D 7/0227** (2013.01 - EP US); **B67D 7/0244** (2013.01 - EP US); **B67D 7/0255** (2013.01 - EP US); **B67D 7/645** (2013.01 - EP)

Cited by

WO2011080402A1; EP3650364A1; US11053043B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT RO SE SI SK TR

DOCDB simple family (publication)

FR 2851242 A1 20040820; FR 2851242 B1 20051021; AT E383319 T2 20080115; AU 2004213207 A1 20040902; AU 2004213207 B2 20100617; BR PI0407498 A 20060214; BR PI0407498 B1 20150818; CA 2515037 A1 20040902; CA 2515037 C 20121120; DE 602004011209 D1 20080221; DE 602004011209 T2 20090108; DE 602004011209 T3 20170803; EP 1625093 A1 20060215; EP 1625093 B1 20080109; EP 1625093 B2 20170308; ES 2300744 T3 20080616; ES 2300744 T5 20170720; JP 2006519143 A 20060824; KR 101414250 B1 20140701; KR 20060018812 A 20060302; KR 20120065453 A 20120620; KR 20130112945 A 20131014; MX PA05008590 A 20060228; PL 204468 B1 20100129; PL 378631 A1 20060515; RU 2005128515 A 20060127; RU 2339557 C2 20081127; US 2006249535 A1 20061109; US 2010006594 A1 20100114; US 8157127 B2 20120417; US 8590740 B2 20131126; WO 2004074164 A1 20040902

DOCDB simple family (application)

FR 0307872 A 20030630; AT 04707566 T 20040203; AU 2004213207 A 20040203; BR PI0407498 A 20040203; CA 2515037 A 20040203; DE 602004011209 T 20040203; EP 04707566 A 20040203; ES 04707566 T 20040203; FR 2004050039 W 20040203; JP 2006502171 A 20040203; KR 20057015013 A 20050813; KR 20127014090 A 20040203; KR 20137022244 A 20040203; MX PA05008590 A 20040203; PL 37863104 A 20040203; RU 2005128515 A 20040203; US 54437504 A 20040203; US 56414409 A 20090922