

Title (en)  
Flat fireproof closure

Title (de)  
Flächiger feuerfester Abschluss

Title (fr)  
Fermeture plane résistante au feu

Publication  
**EP 1626149 A3 20071107 (DE)**

Application  
**EP 05010829 A 20050519**

Priority  
DE 202004012651 U 20040812

Abstract (en)  
[origin: EP1626149A2] The fire door has a metal profile round the edge and divided in the region of the end face of the fire panel door (4) so that the two profiled parts (6,7) each engage over one of the side faces of the glass door and over the end face connecting the side faces and are spaced from each other. A heat resistant fireproof material (13) is provided between the profiled parts at least in the region of their partition.

IPC 8 full level  
**E06B 5/16** (2006.01); **E06B 7/16** (2006.01); **E06B 3/36** (2006.01)

CPC (source: EP)  
**E06B 5/162** (2013.01); **E06B 5/164** (2013.01); **E06B 7/16** (2013.01); **E06B 3/362** (2013.01)

Citation (search report)  
• [X] DE 19901742 A1 20000928 - GEZE GMBH [DE]  
• [XY] DE 3331044 A1 19840823 - HOERMANN KG FREISEN [DE]  
• [X] EP 0826862 A2 19980304 - PROMAT GMBH [DE], et al  
• [Y] AT 6046 U1 20030325 - PENEDER FAST FORWARD GMBH [AT]  
• [A] US 5355625 A 19941018 - MATSUOKA HISAYUKI [JP]

Cited by  
EP2354418A3; DE202009006416U1; WO2010127833A1; WO2020016073A1

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)  
AL BA HR LV MK YU

DOCDB simple family (publication)  
**DE 202004012651 U1 20041007**; EP 1626149 A2 20060215; EP 1626149 A3 20071107; EP 1626149 B1 20161019; PL 1626149 T3 20170428

DOCDB simple family (application)  
**DE 202004012651 U 20040812**; EP 05010829 A 20050519; PL 05010829 T 20050519