

Title (en)

A VIBRATION ISOLATOR ASSEMBLY HAVING ALTERED STRESS CHARACTERISTICS AND METHOD OF ALTERING STRESS CHARACTERISTICS OF SAME

Title (de)

SCHWINGUNGSENTKOPPLERANORDNUNG MIT VERÄNDERTEN BELASTUNGSSCHARAKTERISTIKEN UND VERFAHREN ZUR ÄNDERUNG IHRER BELASTUNGSSCHARAKTERISTIKEN

Title (fr)

ENSEMBLE D'ISOLATION DE VIBRATIONS PRESENTANT DES CARACTERISTIQUES DE CONTRAINTES MODIFIEES ET PROCEDE DE MODIFICATION DE CARACTERISTIQUES DE CONTRAINTES D'UN TEL ENSEMBLE

Publication

EP 1631753 A2 20060308 (EN)

Application

EP 04754966 A 20040610

Priority

- US 2004018540 W 20040610
- US 45851403 A 20030610
- US 82857404 A 20040421

Abstract (en)

[origin: WO2005001305A2] A vibration isolator assembly, such as an isolator bushing or cradle mount, includes a housing and an isolator connected to the housing. A shaft assembly includes first and second mating components, the first component being connected to the elastomer and having a cavity of a first dimension for receiving the second component having a different, second dimension therein. The differing dimensions alter the stress characteristics of the vibration isolator assembly. In the preferred arrangement, the shaft assembly includes a first component comprising first and second portions, a thin layer of elastomer interposed between the first and second components and a second component which is inserted between the portions to relieve tensile stress in the isolator and, if desired, to impart a compressive stress in the isolator. The thin layer of elastomer permits the first components to be made more economically. The first component of the shaft assembly is made at a lower dimensional tolerance and subsequently produced to a higher dimensional tolerance by molding the thin layer of elastomer to a precision tolerance.

IPC 1-7

F16F 13/00; F16F 15/00; F16F 5/00; F16F 9/00; F16F 7/00; F16M 11/00; F16M 5/00; F16M 7/00; F16M 1/00; F16M 3/00

IPC 8 full level

F16F 1/38 (2006.01); **F16F 1/387** (2006.01)

CPC (source: EP KR)

F16F 1/3842 (2013.01 - EP); **F16F 1/387** (2013.01 - EP); **F16F 5/00** (2013.01 - KR); **F16F 7/00** (2013.01 - KR); **F16F 13/00** (2013.01 - KR); **F16M 1/00** (2013.01 - KR); **F16F 2228/08** (2013.01 - EP)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2005001305 A2 20050106; **WO 2005001305 A3 20050526**; BR PI0406220 A 20050809; CA 2520739 A1 20050106; EP 1631753 A2 20060308; EP 1631753 A4 20070530; JP 2007500332 A 20070111; KR 20060036902 A 20060502; MX PA05004532 A 20051123

DOCDB simple family (application)

US 2004018540 W 20040610; BR PI0406220 A 20040610; CA 2520739 A 20040610; EP 04754966 A 20040610; JP 2006533707 A 20040610; KR 20057020891 A 20051103; MX PA05004532 A 20040610