

Title (en)

CONTACT ELEMENT AND ADDITIONAL CONDUCTION CHAMBER FOR A PLUG OR SOCKET PRODUCED ACCORDING TO INSULATING-PIERCING CONNECTING TECHNOLOGY

Title (de)

KONTAKTELEMENT UND KOMPLEMENTÄRE LEITUNGSKAMMER FÜR EINEN STECKER ODER EINE BUCHSE IN SCHNEIDKLEMMTECHNIK

Title (fr)

ELEMENT DE CONTACT ET CHAMBRE DE CONDUCTION COMPLEMENTAIRE POUR UN CONNECTEUR MALE OU FEMELLE UTILISE EN TECHNIQUE DE RACCORDEMENT AUTODENUDANT

Publication

**EP 1632009 B1 20081029 (DE)**

Application

**EP 04730972 A 20040504**

Priority

- EP 2004004689 W 20040504
- DE 10323615 A 20030526

Abstract (en)

[origin: WO2004105185A1] The invention relates to a contact element (1) for a plug or a socket of a rapidly connectable plug-in-connection. The contact element (1) is arranged in a contact carrier (2) and comprises an area for the insulating piercing connecting contacting of a conductive wire. A cord retainer (7) comprises at least one conduction chamber (7.1) for the end of the conductive wire and the contact element (1), which is in contact with the conductive wire, is arranged in the conduction chamber (7.1). The invention is characterised in that the contact element (1) comprises at least two insulating-piercing connecting flanks (1.4) which have a curved and/or polygonal-shaped cross-section and contact the conductive wire in an approximately axial direction.

IPC 8 full level

**H01R 4/24** (2006.01)

CPC (source: EP US)

**H01R 4/2458** (2013.01 - EP US); **H01R 4/2429** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

**WO 2004105185 A1 20041202**; AT E412993 T1 20081115; DE 10323615 A1 20041223; DE 502004008352 D1 20081211; EP 1632009 A1 20060308; EP 1632009 B1 20081029; US 2007099476 A1 20070503; US 7341473 B2 20080311

DOCDB simple family (application)

**EP 2004004689 W 20040504**; AT 04730972 T 20040504; DE 10323615 A 20030526; DE 502004008352 T 20040504; EP 04730972 A 20040504; US 55952604 A 20040504