

Title (en)  
Anchor pallet for a watch movement

Title (de)  
Ankerhebelstein für Uhrwerk

Title (fr)  
Palette d'ancre pour mouvement d'horlogerie

Publication  
**EP 1637938 A1 20060322 (FR)**

Application  
**EP 04022204 A 20040917**

Priority  
EP 04022204 A 20040917

Abstract (en)  
The pallet has a capillary channel used as a lubricant reservoir. The channel connects an escape plane (2c) to an impulse plane (2a). The channel has an inlet opening (8a) located near an impulse nozzle (2d), and an outlet opening (8b) located in one-third of the impulse plane from the impulse nozzle. The capillary channel opens into the one-third of the impulse plane.

IPC 8 full level  
**G04B 15/14** (2006.01)

CPC (source: EP US)  
**G04B 15/14** (2013.01 - EP US)

Citation (search report)

- [XY] US 2685165 A 19540803 - ANDRE ACCOLA
- [DYA] CH 116857 A 19261001 - AHRENS OTTO [CH]
- [XA] CH 321946 A 19570531 - FOERDERUNG FORSCHUNG GMBH [CH]
- [DA] CH 685463G A3 19950731 - HORMEC TECHNIC SA

Cited by  
US11520290B2; EP3067757A1; WO2016146305A1

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)  
**EP 1637938 A1 20060322**; CN 1749886 A 20060322; CN 1749886 B 20100505; DE 602005027643 D1 20110609; HK 1085279 A1 20060818; JP 2006084466 A 20060330; JP 4669354 B2 20110413; US 2006062087 A1 20060323; US 7338200 B2 20080304

DOCDB simple family (application)  
**EP 04022204 A 20040917**; CN 200510103477 A 20050915; DE 602005027643 T 20050902; HK 06105287 A 20060504; JP 2005260337 A 20050908; US 22729405 A 20050916