

Title (en)

ELECTROMAGNETIC SWITCHING DEVICE

Title (de)

ELEKTROMAGNETISCHES SCHALTGERÄT

Title (fr)

APPAREIL DE COMMUTATION ELECTROMAGNETIQUE

Publication

EP 1644950 A1 20060412 (DE)

Application

EP 04736305 A 20040608

Priority

- EP 2004006183 W 20040608
- DE 10331339 A 20030710

Abstract (en)

[origin: WO2005006371A1] A drive solenoid (1), a yoke (2), an armature (3) and at least one contact (4) are mounted in a housing (6+7) of an electromagnetic switching device. The drive solenoid (1), yoke (2) and armature (3) are inductively intercoupled, in such a way that when an inrush current (I) is applied to the drive solenoid (1), the armature (3) can be displaced into a pickup position, thus directly or indirectly actuating the contact (4). The yoke (2) and/or armature (3) contain(s) pulverulent magnetic material (9).

IPC 1-7

H01H 50/16

IPC 8 full level

H01F 7/08 (2006.01); **H01H 50/16** (2006.01); **H01F 7/124** (2006.01); **H01F 7/16** (2006.01); **H01H 51/22** (2006.01)

CPC (source: EP US)

H01F 7/081 (2013.01 - EP US); **H01H 50/16** (2013.01 - EP US); **H01F 7/124** (2013.01 - EP US); **H01F 7/1638** (2013.01 - EP US); **H01H 51/22** (2013.01 - EP US); **H01H 2047/046** (2013.01 - EP US); **H01H 2050/166** (2013.01 - EP US)

Citation (search report)

See references of WO 2005006371A1

Designated contracting state (EPC)

DE FR

DOCDB simple family (publication)

WO 2005006371 A1 20050120; CN 100461324 C 20090211; CN 1816888 A 20060809; DE 10331339 A1 20050203; EP 1644950 A1 20060412; US 2006192643 A1 20060831; US 7696846 B2 20100413

DOCDB simple family (application)

EP 2004006183 W 20040608; CN 200480019332 A 20040608; DE 10331339 A 20030710; EP 04736305 A 20040608; US 56375304 A 20040608