

Title (en)

ROTARY ENGAGEMENT LOCK MECHANISM FOR AUTOMATIC SAFETY CUTOUT

Title (de)

DREHEINGRIFFS-VERRIEGELUNGSMECHANISMUS FÜR AUTOMATISCHE SICHERHEITSABTRENNUNG

Title (fr)

MECANISME DE SERRURE A ACCROCHAGE TOURNANT POUR COUPE-CIRCUIT AUTOMATIQUE DE SECURITE

Publication

EP 1649478 A1 20060426 (FR)

Application

EP 04767738 A 20040720

Priority

- FR 2004001920 W 20040720
- FR 0309065 A 20030724

Abstract (en)

[origin: FR2858109A1] The mechanism has a spring mechanism (38) and a lever (8) with a stop surface. The surface and a coupling surface (22) define housing with walls forming a stop when a coupling lever (18) is in stable position. A coupling end of a hand-lever (3) is forced against the stop. The surface (22) is conformed such that at all points of the surface, a normal to the surface is oriented along a direction meeting a rotating axis of the lever (18).

IPC 1-7

H01H 71/52

IPC 8 full level

H01H 71/52 (2006.01)

CPC (source: EP)

H01H 71/526 (2013.01)

Citation (search report)

See references of WO 2005010909A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

FR 2858109 A1 20050128; FR 2858109 B1 20051014; AT E349769 T1 20070115; BR PI0412220 A 20060822; CN 100470705 C 20090318; CN 1830049 A 20060906; CO 5670332 A2 20060831; DE 602004003949 D1 20070208; DE 602004003949 T2 20071018; EP 1649478 A1 20060426; EP 1649478 B1 20061227; ES 2279437 T3 20070816; PL 1649478 T3 20070531; RU 2006105650 A 20060810; RU 2340030 C2 20081127; WO 2005010909 A1 20050203

DOCDB simple family (application)

FR 0309065 A 20030724; AT 04767738 T 20040720; BR PI0412220 A 20040720; CN 200480021423 A 20040720; CO 06005327 A 20060120; DE 602004003949 T 20040720; EP 04767738 A 20040720; ES 04767738 T 20040720; FR 2004001920 W 20040720; PL 04767738 T 20040720; RU 2006105650 A 20040720