

Title (en)
JIG FOR CNC MACHINE

Title (de)
SPANNVORRICHTUNG FÜR CNC-MASCHINE

Title (fr)
GABARIT POUR MACHINE A COMMANDE NUMERIQUE COMMANDEE PAR ORDINATEUR

Publication
EP 1656236 A1 20060517 (EN)

Application
EP 04768112 A 20040818

Priority
• GB 2004003553 W 20040818
• GB 0319475 A 20030819

Abstract (en)
[origin: WO2005018875A1] A jig for mounting one or more lenses on a two axes coordinate movement bed of a CNC machine for machining the one or more lenses. The jig comprises a carriage (29) having one or more lens holders (36) for holding one or more lenses (13, 14), each lens having a mounting block (19) bonded to a convex surface of the lens (43). The carriage (29) is rotatable about a first axis so as to be able to present one or more lenses (13, 14) to a tool of the machine where it is desired to machine the one or more lenses (13, 14). The lens is constrained to restrict rotation of the one or more lenses about an axis normal to the concave (42) and/or convex (43) surfaces of the one or more lenses (13, 14).

IPC 1-7
B24B 9/14; **B28D 1/14**; **B24B 13/00**; **B24B 13/005**; **B23Q 1/52**

IPC 8 full level
B23Q 3/06 (2006.01); **B24B 13/005** (2006.01); **B28D 1/14** (2006.01)

CPC (source: EP GB US)
B23B 47/28 (2013.01 - GB); **B23Q 3/062** (2013.01 - EP US); **B23Q 3/08** (2013.01 - GB); **B23Q 16/00** (2013.01 - GB);
B24B 13/005 (2013.01 - EP GB US); **B28D 1/143** (2013.01 - EP US); **Y10T 29/5107** (2015.01 - EP US); **Y10T 408/545** (2015.01 - EP US);
Y10T 409/30896 (2015.01 - EP US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
WO 2005018875 A1 20050303; EP 1656236 A1 20060517; GB 0319475 D0 20030917; GB 2407785 A 20050511; GB 2407785 B 20070808;
US 2007173182 A1 20070726

DOCDB simple family (application)
GB 2004003553 W 20040818; EP 04768112 A 20040818; GB 0319475 A 20030819; US 56884404 A 20040818