

Title (en)

METHOD FOR REGULATING THE CROP MARK FOR A ROLLER PRINTING MACHINE WITH MULTI-WEB OPERATION

Title (de)

VERFAHREN ZUR REGELUNG DES SCHNITTREGISTERS BEI EINER ROLLENDRUCKMASCHINE MIT MEHRBAHNIGEM BETRIEB

Title (fr)

PROCEDE DE REGLAGE DU REPERE DE COUPE SUR UNE PRESSE ROTATIVE EN MODE MULTI-BANDES

Publication

EP 1656315 B1 20150701 (DE)

Application

EP 04763798 A 20040804

Priority

- EP 2004008751 W 20040804
- DE 10335886 A 20030806

Abstract (en)

[origin: WO2005016806A1] According to the invention, the crop mark (Y</l>18) for multi-web operation of a roller printing machine and the web tension in a web section may be independently regulated, whereby given image information, or measurement marks on printed webs (BO, BU, BE) and web tensions in differing web sections are recorded by means of sensors and supplied to a regulating device. The adjustment of the position of the printed image relative to the set position thereof with regard to the place and time for the cut, in other words, of the crop mark error (<l>Y 18) is achieved, whereby suitable image information or measurement marks are recorded before and/or on the common cutting cylinder (K 8), by means of at least one sensor (SE; SO, SU), analysed and/or converted to an actual value which serves for the regulation of the crop marks of at least one web. For correction of the crop mark for at least one web, either the speed at at least one pinch point before the cutting cylinder (K 8) and/or the position of the cutting cylinder (K 8) is altered and, for correction of the web tension, the speed at at least one further pinch point is altered such that the set values for the part and/or total crop mark error for at least one web and, independent thereof, the at least one web tension are corrected to give the corresponding set value. The invention further relates to a device for carrying out said method for regulation of the web tensions and crop mark errors.

IPC 8 full level

B65H 23/188 (2006.01); **B41F 13/60** (2006.01); **B65H 35/00** (2006.01); **B65H 43/00** (2006.01); **B65H 45/28** (2006.01)

CPC (source: EP US)

B41F 13/60 (2013.01 - EP US); **B65H 23/1886** (2013.01 - EP US); **B65H 23/1888** (2013.01 - EP US); **B65H 35/0006** (2013.01 - EP US); **B65H 43/00** (2013.01 - EP US); **B65H 45/28** (2013.01 - EP US); **B65H 2301/122** (2013.01 - EP US); **B65H 2511/512** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2005016806 A1 20050224; DE 10335886 A1 20050310; DE 10335886 B4 20131219; EP 1656315 A1 20060517; EP 1656315 B1 20150701; US 2006230968 A1 20061019; US 7559279 B2 20090714

DOCDB simple family (application)

EP 2004008751 W 20040804; DE 10335886 A 20030806; EP 04763798 A 20040804; US 56729104 A 20040804