

Title (en)

METHOD AND DEVICE FOR DETERMINING THE PHASE POSITION OF A CAMSHAFT OF AN INTERNAL COMBUSTION ENGINE

Title (de)

VERFAHREN UND VORRICHTUNG ZUM ERMITTELN EINER PHASENLAGE EINER NOCKENWELLE EINER BRENNKRAFTMASCHINE

Title (fr)

PROCEDE ET DISPOSITIF PERMETTANT DE DETERMINER LA POSITION DE PHASE DE L'ARBRE A CAMES D'UN MOTEUR A COMBUSTION INTERNE

Publication

EP 1673528 B1 20110629 (DE)

Application

EP 04787225 A 20040927

Priority

- EP 2004052326 W 20040927
- DE 10347516 A 20031013

Abstract (en)

[origin: WO2005038225A1] The invention relates to an internal combustion engine comprising a crankshaft, a camshaft and an adjusting device, which is used to adjust the phase position (PH) of the camshaft in relation to the crankshaft. The phase position (PH) is determined in accordance with a detected crankshaft angle (CRK) and a recorded camshaft angle (CAM). A filter coefficient (FF3) of a filter is determined in accordance with the amplitude (AMP) of an oscillation of the phase position (PH) and the modification (DELTA) of said phase position (PH). A filtered phase position (PH_FIL) of the determined phase position (PH) is calculated using the filter.

IPC 8 full level

F02D 41/34 (2006.01); **F01L 1/34** (2006.01); **F01L 1/344** (2006.01)

CPC (source: EP US)

F01L 1/022 (2013.01 - EP US); **F01L 1/34** (2013.01 - EP US); **F01L 1/3442** (2013.01 - EP US); **F02D 41/009** (2013.01 - EP US); **F01L 2800/00** (2013.01 - EP US); **F01L 2820/041** (2013.01 - EP US); **F02D 2041/001** (2013.01 - EP US); **F02D 2041/1422** (2013.01 - EP US); **F02D 2041/1432** (2013.01 - EP US)

Cited by

DE102012213539A1; US9316126B2

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

WO 2005038225 A1 20050428; DE 10347516 B3 20050602; EP 1673528 A1 20060628; EP 1673528 B1 20110629; US 2006136118 A1 20060622; US 7184880 B2 20070227

DOCDB simple family (application)

EP 2004052326 W 20040927; DE 10347516 A 20031013; EP 04787225 A 20040927; US 53723904 A 20040927