

Title (en)

LAYER AND METHOD FOR MICROBATTERY PROTECTION BY A CERAMIC-METAL DOUBLE LAYER

Title (de)

SCHICHT UND VERFAHREN ZUM MIKROBATTERIESCHUTZ DURCH EINE KERAMIK-METALL-DOPPELSCHICHT

Title (fr)

COUCHE ET PROCEDE DE PROTECTION DE MICROBATTERIES PAR UNE BICOUCHE CERAMIQUE-METAL

Publication

EP 1673820 A2 20060628 (FR)

Application

EP 04791533 A 20041014

Priority

- FR 2004002621 W 20041014
- FR 0350690 A 20031016

Abstract (en)

[origin: FR2861218A1] An energy storage device comprises an anode, a dielectric and a cathode, of which the elements are covered in part by a protective layer made up of a metal or metal alloy having a thermo-mechanical strength sufficient to absorb thermo-mechanical deformation without cracking. An independent claim is also included for the protection of an energy storage device by a protective layer of metal or metal alloy.

IPC 1-7

H01M 2/10; **H01M 6/40**

IPC 8 full level

H01G 2/12 (2006.01); **H01M 4/134** (2010.01); **H01M 6/40** (2006.01); **H01M 50/126** (2021.01); **H01M 50/128** (2021.01); **H01M 50/131** (2021.01); **H01M 50/134** (2021.01)

CPC (source: EP US)

H01G 2/12 (2013.01 - EP US); **H01M 6/40** (2013.01 - EP US); **H01M 10/0436** (2013.01 - EP US); **H01M 50/126** (2021.01 - EP US); **H01M 50/128** (2021.01 - EP US); **H01M 50/131** (2021.01 - EP US); **H01M 50/134** (2021.01 - EP US); **H01M 50/24** (2021.01 - EP US); **Y02E 60/10** (2013.01 - EP)

Citation (search report)

See references of WO 2005038957A2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

FR 2861218 A1 20050422; **FR 2861218 B1 20070420**; EP 1673820 A2 20060628; JP 2007508673 A 20070405; US 2007091543 A1 20070426; WO 2005038957 A2 20050428; WO 2005038957 A3 20060518

DOCDB simple family (application)

FR 0350690 A 20031016; EP 04791533 A 20041014; FR 2004002621 W 20041014; JP 2006534794 A 20041014; US 57475604 A 20041014