

Title (en)

DEVICE AND METHOD FOR ALIGNING A GOOD, WHICH CAN BE EASILY DEFORMED AT LEAST IN THE AREA OF THE LOWER OUTER EDGES, ON A TRANSPORT SUPPORT

Title (de)

VORRICHTUNG UND VERFAHREN FÜR DAS AUSRICHTEN EINES AUS EINEM ZUMINDEST IM BEREICH DER UNTEREN AUSSENKANTEN LEICHT DEFORMIERBAREN GUTS AUF EINER TRANSPORTUNTERLAGE

Title (fr)

DISPOSITIF ET PROCEDE POUR ALIGNER UN PRODUIT AISEMENT DEFORMABLE, AU MOINS DANS LA ZONE DES ARETES EXTERIEURES INFÉRIEURES, SUR UN SUPPORT DE TRANSPORT

Publication

EP 1716063 B1 20080806 (DE)

Application

EP 05707467 A 20050217

Priority

- EP 2005001630 W 20050217
- DE 202004002488 U 20040217
- DE 202004003136 U 20040217

Abstract (en)

[origin: WO2005080243A1] The invention concerns a device and method for aligning a good, which can be easily deformed at least in the area of the lower outer edges, on a transport support, comprising at least one aligning device, which is provided for aligning the good on the transport support and which can be displaced in the direction of the good and of the transport support. In order to effect a damage-free machine-displacement of the laterally projecting good into the transport support contour, a stabilizing device that prevents a displacement of the good in the direction of the transport support is assigned at least to the partial area of at least one aligning device that, during the alignment of the good on the transport support, comes into contact with the lower area of the good laterally projecting beyond the outer contour of the transport support or a downward displacement of the laterally projecting lower area of the good is prevented by at least one stabilizing device assigned at least to the partial area of the aligning device that, during the alignment of the good on the transport support, comes into contact with the lower area of the good laterally projecting beyond the outer contour of the transport support.

IPC 8 full level

B65H 31/34 (2006.01); **B65G 47/24** (2006.01); **B65G 57/24** (2006.01)

CPC (source: EP US)

B65H 31/34 (2013.01 - EP US); **B65H 2301/363** (2013.01 - EP US)

Cited by

EP2418163A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2005080243 A1 20050901; **WO 2005080243 A8 20051215**; AT E403623 T1 20080815; BR PI0504138 A 20061024; BR PI0504138 B1 20170606; CA 2522399 A1 20050901; CA 2522399 C 20111122; CN 1842479 A 20061004; CN 1842479 B 20110608; DE 502005004937 D1 20080918; DK 1716063 T3 20081201; EP 1716063 A1 20061102; EP 1716063 B1 20080806; ES 2311970 T3 20090216; RU 2005132005 A 20070510; RU 2378177 C2 20100110; US 2006280590 A1 20061214; US 2010135763 A1 20100603; US 7670100 B2 20100302; US 8684658 B2 20140401

DOCDB simple family (application)

EP 2005001630 W 20050217; AT 05707467 T 20050217; BR PI0504138 A 20050217; CA 2522399 A 20050217; CN 200580000857 A 20050217; DE 502005004937 T 20050217; DK 05707467 T 20050217; EP 05707467 A 20050217; ES 05707467 T 20050217; RU 2005132005 A 20050217; US 55243105 A 20051005; US 70187110 A 20100208