

Title (en)
RING STRUCTURE WITH A METAL DESIGN HAVING A RUN-IN LINING

Title (de)
RINGSTRUKTUR IN METALLBAUWEISE MIT EINLAUFBELAG

Title (fr)
STRUCTURE ANNULAIRE EN CONSTRUCTION METALLIQUE AVEC GARNITURE D'ADMISSION

Publication
EP 1721064 A1 20061115 (DE)

Application
EP 05715035 A 20050228

Priority
• DE 2005000333 W 20050228
• DE 102004010236 A 20040303

Abstract (en)
[origin: DE102004010236A1] The inner wall (12) is formed by a mechanically stable, closed running-in surface for the rotor blade tips and comprises a metal fabric and/or metal felt. The fabric or felt comprises a high temperature oxidation-resistant metal alloy preferably based on iron, nickel or cobalt. The circular inner wall is separated from a nearby circular outer wall (11) by a connecting hollow compartment structure (13). The outer wall is formed by a closed, mechanically stable casing wall for the compressor or turbine.

IPC 8 full level
F01D 11/12 (2006.01)

CPC (source: EP US)
F01D 11/122 (2013.01 - EP US); **F01D 11/127** (2013.01 - EP US); **F05D 2230/236** (2013.01 - EP US); **F05D 2230/237** (2013.01 - EP US); **F05D 2230/238** (2013.01 - EP US); **F05D 2250/283** (2013.01 - EP US); **F05D 2300/601** (2013.01 - EP US)

Citation (search report)
See references of WO 2005085600A1

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
DE 102004010236 A1 20050915; DE 502005009677 D1 20100715; EP 1721064 A1 20061115; EP 1721064 B1 20100602; US 2009263239 A1 20091022; US 8061965 B2 20111122; WO 2005085600 A1 20050915

DOCDB simple family (application)
DE 102004010236 A 20040303; DE 2005000333 W 20050228; DE 502005009677 T 20050228; EP 05715035 A 20050228; US 57886205 A 20050228