

Title (en)

OPTICAL MEMBER AND MANUFACTURING METHOD THEREOF

Title (de)

OPTISCHES GLIED UND HERSTELLUNGSVERFAHREN DAFÜR

Title (fr)

ORGANE OPTIQUE ET PROCEDE DE FABRICATION DE CE DERNIER

Publication

EP 1731931 A1 20061213 (EN)

Application

EP 05727995 A 20050331

Priority

- JP 2005006318 W 20050331
- JP 2004107094 A 20040331

Abstract (en)

An optical member utilizing diffraction, which comprises a substrate having a fine structure comprising microstructures with an interval of 50-1,000 nm between the adjacent microstructures on a substrate surface, wherein the substrate has a surface layer portion comprising a region containing fluorine atoms in an amount larger than that in the inner layer portion thereof. The microstructures are preferably micro-protrusions each tapering toward the tip in the direction perpendicular to the substrate surface. The optical member is manufactured by a method comprising a step of exposing the surface of the substrate having a fine structure comprising microstructures with an interval of 50-1,000 nm between the adjacent microstructures to an atmosphere containing a fluorine gas.

IPC 8 full level

G02B 5/18 (2006.01); **G02B 1/10** (2006.01); **G02B 1/11** (2006.01); **G02B 5/30** (2006.01)

CPC (source: EP KR US)

G02B 1/11 (2013.01 - KR); **G02B 1/118** (2013.01 - EP US); **G02B 5/18** (2013.01 - KR); **G02B 5/008** (2013.01 - EP US)

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 1731931 A1 20061213; **EP 1731931 A4 20090916**; JP WO2005096037 A1 20080221; KR 20070012438 A 20070125; TW 200540209 A 20051216; US 2008037124 A1 20080214; WO 2005096037 A1 20051013

DOCDB simple family (application)

EP 05727995 A 20050331; JP 2005006318 W 20050331; JP 2006511807 A 20050331; KR 20067022748 A 20061030; TW 94110305 A 20050331; US 54739705 A 20050331