

Title (en)
LOCKABLE SIGNALLING COLUMN

Title (de)
VERRIEGELBARE SIGNALSÄULE

Title (fr)
COLONNE DE SIGNALISATION VERROUILLABLE

Publication
EP 1743120 B1 20080305 (FR)

Application
EP 05731690 A 20050421

Priority

- EP 2005051778 W 20050421
- FR 0404746 A 20040504

Abstract (en)
[origin: WO2005114042A1] The invention relates to a signalling column with levels which are assembled by means of a relative pivoting limited in amplitude and interconnected by means of axially-extending conductors. The body of a level (A) has a locking bar (30) which extends axially to penetrate an opening (23) in the adjacent level and abuts an edge of said opening on a rotation attempt. The ends (30a, 30b) of the bar may be displaced and the opening is of such a size as to accommodate the top end of the relevant bar and the bottom end of the bar above.

IPC 8 full level
F21S 8/00 (2006.01); **F21V 21/00** (2006.01); **G07C 3/00** (2006.01); **F21V 23/06** (2006.01); **H01R 13/639** (2006.01); **H01R 33/76** (2006.01)

CPC (source: EP KR US)
F21S 8/00 (2013.01 - EP KR US); **F21V 21/005** (2013.01 - EP KR US); **F21V 23/06** (2013.01 - KR); **H01R 13/639** (2013.01 - KR);
H01R 33/7671 (2013.01 - KR); **F21V 23/06** (2013.01 - EP US); **F21W 2111/02** (2013.01 - EP KR US); **H01R 13/639** (2013.01 - EP US);
H01R 33/7671 (2013.01 - EP US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
WO 2005114042 A1 20051201; AT E388373 T1 20080315; BR PI0510641 A 20071120; BR PI0510641 B1 20180130;
CN 100520155 C 20090729; CN 1977126 A 20070606; DE 602005005188 D1 20080417; DE 602005005188 T2 20090312;
EP 1743120 A1 20070117; EP 1743120 B1 20080305; ES 2301005 T3 20080616; FR 2869975 A1 20051111; FR 2869975 B1 20060616;
JP 2007536590 A 20071213; JP 4579288 B2 20101110; KR 101027300 B1 20110406; KR 20070011567 A 20070124; PL 1743120 T3 20080829;
PT 1743120 E 20080422; US 2009123994 A1 20090514; US 7663498 B2 20100216

DOCDB simple family (application)
EP 2005051778 W 20050421; AT 05731690 T 20050421; BR PI0510641 A 20050421; CN 200580022160 A 20050421;
DE 602005005188 T 20050421; EP 05731690 A 20050421; ES 05731690 T 20050421; FR 0404746 A 20040504; JP 2007512153 A 20050421;
KR 20067025557 A 20050421; PL 05731690 T 20050421; PT 05731690 T 20050421; US 57941105 A 20050421