

Title (en)

LOCKING MECHANISM FOR LIGHT FITTINGS

Title (de)

VERSCHLUSSMECHANISMUS FÜR LEUCHTEN

Title (fr)

MECANISME DE VERROUILLAGE POUR DISPOSITIFS D'ECLAIRAGE

Publication

EP 1776543 B1 20081112 (DE)

Application

EP 05796274 A 20050930

Priority

- EP 2005010600 W 20050930
- DE 102004048484 A 20041005

Abstract (en)

[origin: US2008186719A1] A light fitting, particularly a built-in light fitting for ceilings and/or walls, includes an embeddable housing for receiving lighting means, a reflector, a housing frame, a functional frame, which can be detached at least partially from the housing frame and a locking device, which acts between the housing frame and functional frame. The locking device includes at least one wire spring, the wire spring being provided with a spring section extending between two locking elements formed in end areas of the wire spring. The locking elements cooperate with a respective locking receiving element in the functional frame. A wire limb is respectively formed between the spring section and locking elements. When the wire limb is pivoted and the spring section is deformed as a result, it is possible to modify the relative position of the locking elements relative to each other.

IPC 8 full level

F21S 8/02 (2006.01); **F21V 17/10** (2006.01); **F21V 21/04** (2006.01); **F21V 21/30** (2006.01)

CPC (source: EP US)

F21S 8/02 (2013.01 - EP US); **F21V 17/164** (2013.01 - EP US); **F21V 17/107** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

US 2008186719 A1 20080807; **US 7607795 B2 20091027**; AT E414238 T1 20081115; CN 100585260 C 20100127; CN 101036022 A 20070912; DE 102004048484 A1 20060413; DE 502005005967 D1 20081224; EP 1776543 A1 20070425; EP 1776543 B1 20081112; WO 2006037572 A1 20060413

DOCDB simple family (application)

US 57679605 A 20050930; AT 05796274 T 20050930; CN 200580033725 A 20050930; DE 102004048484 A 20041005; DE 502005005967 T 20050930; EP 05796274 A 20050930; EP 2005010600 W 20050930