

Title (en)

A method for increasing the reliability of an inkjet printing system

Title (de)

Verfahren zur Erhöhung der Zuverlässigkeit eines Tintenstrahldrucksystems

Title (fr)

Procédé pour augmenter la fiabilité d'un système d'impression à jet d'encre

Publication

EP 1795357 A1 20070613 (EN)

Application

EP 05111761 A 20051207

Priority

- EP 05111761 A 20051207
- EP 05111567 A 20051201

Abstract (en)

A method and an apparatus for executing the method are disclosed, wherein a disturbance of the drop ejection process of a printing element is detected (either manually or automatically) and, upon detection, the driving of the actuating means of the printing element is stopped for a predetermined period of time, while continuing the consumption of print data for the printing element.

IPC 8 full level

B41J 2/165 (2006.01)

CPC (source: EP)

B41J 2/0451 (2013.01); **B41J 2/04573** (2013.01); **B41J 2/0458** (2013.01); **B41J 2/04581** (2013.01); **B41J 2/165** (2013.01); **B41J 29/393** (2013.01)

Citation (search report)

- [DXY] US 6435672 B1 20020820 - GROENINGER MARK ALEXANDER [NL], et al
- [A] JP S60104335 A 19850608 - CANON KK
- [AD] US 6431674 B2 20020813 - SUZUKI KAZUNAGA [JP], et al
- [A] JP S5761576 A 19820414 - CANON KK
- [Y] US 2003146947 A1 20030807 - OZAKI MITSUO [JP], et al

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK YU

DOCDB simple family (publication)

EP 1795357 A1 20070613; WO 2007063101 A1 20070607

DOCDB simple family (application)

EP 05111761 A 20051207; EP 2006069138 W 20061130