

Title (en)
AIR CONDITIONER

Title (de)
KLIMAANLAGE

Title (fr)
CLIMATISEUR

Publication
EP 1795819 B1 20181121 (EN)

Application
EP 05765087 A 20050627

Priority
• JP 2005011713 W 20050627
• JP 2004285684 A 20040930
• JP 2004285809 A 20040930

Abstract (en)
[origin: EP1795819A1] There is provided an air conditioner that can suppress deterioration of a screw fixing portion of a face panel, or an air conditioner that can easily adjust the air flow amount to an air blowing duct without increasing the number of parts even when the air blowing duct is afterwards assembled.. The face panel is fixed to a unit main body by a fixing member, and provided with a hermetically accommodating portion for substantially hermetically accommodating a portion of the face panel at which stress occurs due to the fixing member and from which the fixing member is exposed. Knockout holes along the edge portions of plural opening planed ports that can selectively intercommunicate with the air blowing duct are formed on a connection planed surface of the air blowing duct in the housing so as to be spaced from one another.

IPC 8 full level
F24F 1/0083 (2019.01)

CPC (source: EP KR US)
F24F 1/0022 (2013.01 - KR); **F24F 1/0033** (2013.01 - KR); **F24F 1/0047** (2019.01 - EP KR); **F24F 1/0083** (2019.01 - EP US);
F24F 13/14 (2013.01 - KR); **F24F 13/20** (2013.01 - EP KR); **F24F 13/32** (2013.01 - EP KR); **F24F 1/0022** (2013.01 - EP);
F24F 1/0033 (2013.01 - EP)

Cited by
EP2233851A4; CN106123263A; EP3330631A1; AU2017268565B2; US8439996B2; EP2184552A1; US2022154971A1

Designated contracting state (EPC)
ES FR HU IT

DOCDB simple family (publication)
EP 1795819 A1 20070613; **EP 1795819 A4 20091111**; **EP 1795819 B1 20181121**; EP 2163831 A1 20100317; EP 2163831 B1 20181107;
KR 100881250 B1 20090205; KR 20070054231 A 20070528; KR 20080045301 A 20080522; WO 2006038352 A1 20060413

DOCDB simple family (application)
EP 05765087 A 20050627; EP 09014233 A 20050627; JP 2005011713 W 20050627; KR 20077007154 A 20070329;
KR 20087011515 A 20080514