

Title (en)

STOPPERED DISCHARGE VALVE FOR CISTERN

Title (de)

VERSCHLOSSENES AUSLASSVENTIL FÜR EINEN BEHÄLTER

Title (fr)

CLAPET DE REFOULEMENT A BOUCHON POUR RESERVOIR

Publication

EP 1802818 A1 20070704 (EN)

Application

EP 05799940 A 20051011

Priority

- IB 2005053339 W 20051011
- TR 200402746 A 20041018

Abstract (en)

[origin: WO2006043205A1] The subject of invention is a stoppered discharge, which is developed for use in reservoirs and able to work with various water volumes, comprises mechanical parts shown as a discharge bearing (1), a sealing gasket (2), a lantern (3), a discharge tube (4), a pull arm (5), a discharge bearing support (8), a Styrofoam clip (9), a Styrofoam (10), a segment (11), a discharge gasket (12), a Styrofoam lower plate (13), a pull arm connection part (16). Stoppered discharge system (A) provides or prevents water flow depending on up-and-down movement of pull arm connection part (16).

IPC 8 full level

E03D 1/14 (2006.01)

CPC (source: EP US)

E03D 1/142 (2013.01 - EP US)

Citation (search report)

See references of WO 2006043205A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2006043205 A1 20060427; AU 2005297194 A1 20060427; DK 1802818 T3 20120827; EP 1802818 A1 20070704; EP 1802818 B1 20120613; ES 2387892 T3 20121003; NZ 553791 A 20090731; RU 2007118501 A 20081127; RU 2360074 C2 20090627; US 2007277300 A1 20071206

DOCDB simple family (application)

IB 2005053339 W 20051011; AU 2005297194 A 20051011; DK 05799940 T 20051011; EP 05799940 A 20051011; ES 05799940 T 20051011; NZ 55379105 A 20051011; RU 2007118501 A 20051011; US 66257205 A 20051011