

Title (en)

Method of reducing the radon inside buildings

Title (de)

Verfahren zur Reduzierung des Radons im Inneren von Gebäuden

Title (fr)

Procédé de réduction du radon à l'intérieur des bâtiments

Publication

EP 1835510 B1 20081105 (FR)

Application

EP 07004830 A 20070308

Priority

FR 0602159 A 20060313

Abstract (en)

[origin: EP1835510A1] Process of reducing radon in a building to reach a susceptible radon concentration of ≥ 100 becquerel/m³ in the internal atmosphere of the building, comprises applying a crosslinking composition on the interior surface of a construction element of the building or at building premises. The composition comprises a crosslinkable bisphenol-A epoxy resin at 300-1300 g/m², preferably 400-950 g/m² and a cross linking agent.

IPC 8 full level

G21F 1/10 (2006.01); **C09D 163/02** (2006.01)

CPC (source: EP US)

G21F 1/10 (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

EP 1835510 A1 20070919; EP 1835510 B1 20081105; AT E413683 T1 20081115; AU 2007201083 A1 20070927; AU 2007201083 B2 20120322; DE 602007000220 D1 20081218; ES 2314954 T3 20090316; FR 2898368 A1 20070914; FR 2898368 B1 20080418; US 2007218832 A1 20070920

DOCDB simple family (application)

EP 07004830 A 20070308; AT 07004830 T 20070308; AU 2007201083 A 20070313; DE 602007000220 T 20070308; ES 07004830 T 20070308; FR 0602159 A 20060313; US 71714707 A 20070313