

Title (en)

REFRACTORY AND METHOD FOR PRODUCTION THEREOF, AND RAW MATERIAL FOR REFRACTORY

Title (de)

FEUERFESTES MATERIAL, HERSTELLUNGSVERFAHREN DAFÜR UND ROHSTOFF FÜR FEUERFESTES MATERIAL

Title (fr)

RÉFRACTAIRE ET PROCÉDÉ DE FABRICATION IDOINE, ET MATIÈRE PREMIÈRE POUR RÉFRACTAIRE

Publication

EP 1873128 A4 20110427 (EN)

Application

EP 06745476 A 20060419

Priority

- JP 2006308244 W 20060419
- JP 2005121363 A 20050419

Abstract (en)

[origin: EP1873128A1] A carbon-containing refractory is provided, which can improve the thermal shock resistance, the abrasion resistance, and the corrosion resistance without degrading the oxidation resistance. In a carbon-containing refractory composed of a refractory aggregate, a carbon based raw material, and a carbon bond connecting between the refractory aggregate or the carbon based raw material, transition metal-containing nanoparticles having particle diameters of 1,000 nm or less and containing a transition metal are contained in the above-described carbon bond while being dispersed. When the carbon-containing refractory is heat-treated, flexible structures of carbon fiber-shaped textures having diameters of 50 nm or less are formed in the inside of a carbon bond and, thereby, an increase in strength, a reduction in modulus of elasticity, and a reduction in thermal expansion coefficient are facilitated. Therefore, a carbon-containing refractory exhibiting high thermal shock resistance, high abrasion resistance, and high corrosion resistance are provided.

IPC 8 full level

C04B 35/00 (2006.01)

CPC (source: EP KR US)

B82Y 30/00 (2013.01 - EP US); **C04B 35/00** (2013.01 - KR); **C04B 35/013** (2013.01 - EP US); **C04B 35/103** (2013.01 - EP US); **C04B 35/63** (2013.01 - EP US); **C04B 35/66** (2013.01 - EP US); **B82Y 30/00** (2013.01 - KR); **C04B 2111/28** (2013.01 - KR); **C04B 2235/3217** (2013.01 - EP US); **C04B 2235/3241** (2013.01 - EP US); **C04B 2235/3244** (2013.01 - EP US); **C04B 2235/3272** (2013.01 - EP US); **C04B 2235/3275** (2013.01 - EP US); **C04B 2235/3289** (2013.01 - EP US); **C04B 2235/402** (2013.01 - EP US); **C04B 2235/404** (2013.01 - EP US); **C04B 2235/405** (2013.01 - EP US); **C04B 2235/424** (2013.01 - EP US); **C04B 2235/425** (2013.01 - EP US); **C04B 2235/428** (2013.01 - EP US); **C04B 2235/441** (2013.01 - EP US); **C04B 2235/444** (2013.01 - EP US); **C04B 2235/48** (2013.01 - EP US); **C04B 2235/5248** (2013.01 - EP US); **C04B 2235/5288** (2013.01 - EP US); **C04B 2235/5436** (2013.01 - EP US); **C04B 2235/5445** (2013.01 - EP US); **C04B 2235/96** (2013.01 - EP US); **C04B 2235/9607** (2013.01 - EP US); **C04B 2235/9669** (2013.01 - EP US)

Citation (search report)

- [X] US 2004106509 A1 20040603 - OCHIAI TSUNEMI [JP], et al
- [X] DATABASE WPI Week 198425, Derwent World Patents Index; AN 1984-156249, XP002629026

Citation (examination)

- DE 19954893 A1 20010517 - REFRATECHNIK HOLDING GMBH & CO [DE]
- DATABASE WPI Week 198115, Derwent World Patents Index; AN 1981-26491D

Cited by

EP3002265A1; US9969650B2; WO2010132612A3; WO2016050376A1

Designated contracting state (EPC)

DE ES FR GB IT NL

DOCDB simple family (publication)

EP 1873128 A1 20080102; EP 1873128 A4 20110427; AU 2006237926 A1 20061026; AU 2006237926 B2 20091217; BR PI0608165 A2 20091110; BR PI0608165 B1 20210406; BR PI0608165 B8 20210420; CA 2602882 A1 20061026; CA 2602882 C 20111011; CN 101163650 A 20080416; CN 101163650 B 20110608; JP 4641316 B2 20110302; JP WO2006112485 A1 20081211; KR 100927935 B1 20091119; KR 20080007216 A 20080117; RU 2007122623 A 20090527; RU 2380342 C2 20100127; US 2009075808 A1 20090319; US 8450228 B2 20130528; WO 2006112485 A1 20061026

DOCDB simple family (application)

EP 06745476 A 20060419; AU 2006237926 A 20060419; BR PI0608165 A 20060419; CA 2602882 A 20060419; CN 200680013323 A 20060419; JP 2006308244 W 20060419; JP 2007528178 A 20060419; KR 20077008422 A 20060419; RU 2007122623 A 20060419; US 88774406 A 20060419