

Title (en)

FREQUENCY-ADDRESSING MATRIX ROUTING HEAD FOR LIGHT BEAMS

Title (de)

FREQUENZADRESSIERUNGS-MATRIX-ROUTING-KOPF FÜR LICHTSTRÄHLEN

Title (fr)

TÈTE DE MATRICIELLE DE ROUTAGE DE FAISCEAUX LUMINEUX A ADRESSAGE FREQUENTIEL

Publication

EP 1886180 A1 20080213 (FR)

Application

EP 06764603 A 20060511

Priority

- FR 2006001057 W 20060511
- FR 0505178 A 20050524

Abstract (en)

[origin: WO2006125881A1] The invention relates to a device (FIG. 1) for the generation of a light beam matrix (1), supplying for example, the output stage of a digital video projector, by means of a combination of light sources (2), (3) and (4) of weak to moderate power for the three base colours (red, green and blue), of the laser or xenon source type and n x m mirrors (5) of a given size and shape defined as a function of the target application, carrying out the corresponding frequency filtering as a function of the construction of the mirror. The device comprises a number of matrices (6), (7), (8) and (9) of mirror/filters aligned geometrically, for orientation and filtering of the light beams (10) in order to generate a matrix/symbol projection element (1). The device avoids a sweeping function as a result of frequency coding for the position of each projected matrix element. The digital control permits the control of the operation of the light sources as a function of the matrix/symbol display required at a given time t. Said matrix/symbol element is swept across a projection surface in order to generate a complex video image sequence. The system is of application to, for example, top of the range digital cinema and home cinema equipment.

IPC 8 full level

G02B 27/14 (2006.01); **H04J 14/02** (2006.01); **H04N 9/31** (2006.01)

CPC (source: EP KR US)

G02B 6/35 (2013.01 - KR); **G02B 27/102** (2013.01 - EP US); **G02B 27/143** (2013.01 - EP US); **G02B 27/145** (2013.01 - EP US);
G09G 3/20 (2013.01 - KR); **H04J 14/02** (2013.01 - KR); **H04N 9/31** (2013.01 - KR); **H04N 9/3105** (2013.01 - EP US);
H04N 9/3129 (2013.01 - EP US); **H04N 9/3141** (2013.01 - EP US)

Citation (search report)

See references of WO 2006125881A1

Citation (examination)

- JP 2001044547 A 20010216 - HAMAMATSU PHOTONICS KK
- WO 03098758 A1 20031127 - OSEIR OY [FI], et al

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

FR 2886416 A1 20061201; AU 2006251075 A1 20061130; BR PI0611529 A2 20100921; CA 2609159 A1 20061130; CN 101203792 A 20080618;
CN 101203792 B 20120321; EP 1886180 A1 20080213; HK 1122361 A1 20090515; JP 2008542803 A 20081127; KR 20080019588 A 20080304;
MA 29556 B1 20080602; NZ 563646 A 20110331; RU 2007142827 A 20090627; RU 2403600 C2 20101110; TN SN07454 A1 20090317;
US 2008231929 A1 20080925; WO 2006125881 A1 20061130; ZA 200710789 B 20081231

DOCDB simple family (application)

FR 0505178 A 20050524; AU 2006251075 A 20060511; BR PI0611529 A 20060511; CA 2609159 A 20060511; CN 200680017844 A 20060511;
EP 06764603 A 20060511; FR 2006001057 W 20060511; HK 08113615 A 20081216; JP 2008512860 A 20060511;
KR 20077027110 A 20071121; MA 30494 A 20071224; NZ 56364606 A 20060511; RU 2007142827 A 20060511; TN SN07454 A 20071130;
US 91474906 A 20060511; ZA 200710789 A 20071211