

Title (en)
DRAWING ROLLING METHOD BY MANDREL MILL

Title (de)
ZIEHWALZVERFAHREN FÜR ROHRWALZWERK

Title (fr)
PROCEDE D'ETIRAGE-LAMINAGE PAR UN LAMINOIR A MANDRIN

Publication
EP 1889669 A1 20080220 (EN)

Application
EP 06730240 A 20060328

Priority
• JP 2006306292 W 20060328
• JP 2005090432 A 20050328

Abstract (en)
An elongation rolling method of a mother tube from a hollow shell using a mandrel mill can prevent overfilling and under-filling using a single combination of grooved roll. The outer diameter of the hollow shell is set such that the ratio of outer circumference of the hollow shell to outer circumference of the mother tube on the exit side of the finishing stand is at least 1.1 when the mother tube contains at least 10% Cr or the ratio is less than 1.1 when the mother tube contains less than 10% Cr. The groove profile of grooved rolls provided in a first stand and a second stand of the mandrel mill is set such that the groove circumference determined by a plurality of grooved rolls provided in the first stand satisfies Equation 1, the groove circumference determined by a plurality of grooved rolls provided in the second stand satisfies Equation 2, and the groove circumferences in the first stand and the second stand satisfy Equation 3. Under these conditions, elongation rolling of a mother tube is carried out using a mandrel mill.

IPC 8 full level
B21B 17/04 (2006.01); **B21B 27/02** (2006.01)

CPC (source: EP)
B21B 17/04 (2013.01); **B21B 3/02** (2013.01); **B21B 27/024** (2013.01)

Cited by
EP2692453A4; CN102245321A; EA018319B1; US9056341B2; WO2010066230A3

Designated contracting state (EPC)
DE FR IT

DOCDB simple family (publication)
EP 1889669 A1 20080220; **EP 1889669 A4 20090225**; **EP 1889669 B1 20101229**; BR PI0609266 A2 20100309; BR PI0609266 B1 20190702; CN 101151107 A 20080326; CN 101151107 B 20100811; DE 602006019242 D1 20110210; JP 2006272340 A 20061012; JP 4441912 B2 20100331; RU 2357815 C1 20090610; WO 2006104146 A1 20061005

DOCDB simple family (application)
EP 06730240 A 20060328; BR PI0609266 A 20060328; CN 200680010493 A 20060328; DE 602006019242 T 20060328; JP 2005090432 A 20050328; JP 2006306292 W 20060328; RU 2007139816 A 20060328