

Title (en)
Wire containment cap

Title (de)
Drahtsicherheitskappe

Title (fr)
Bouchon de protection de câble

Publication
EP 1901405 A3 20100224 (EN)

Application
EP 07023972 A 20060808

Priority
• EP 06254158 A 20060808
• US 70637005 P 20050808
• US 46220406 A 20060803

Abstract (en)
[origin: EP1901405A2] A wire containment cap has twisted pair slots for routing twisted wire pairs through the wire containment cap. The twisted pair slots are provided with funnel-shaped entrances to assist in routing the twisted wire pairs from a rear end of the wire containment cap toward wire slots of the wire containment cap. The wire containment cap may be provided in shielded or unshielded versions, and is adapted for use with a communication jack assembly.

IPC 8 full level
H01R 24/00 (2006.01); **H01R 13/58** (2006.01); **H01R 31/06** (2006.01)

CPC (source: EP)
H01R 13/58 (2013.01); **H01R 13/5812** (2013.01); **H01R 13/6463** (2013.01); **H01R 31/06** (2013.01); **H01R 24/64** (2013.01)

Citation (search report)
• [A] EP 1014498 A2 20000628 - LUCENT TECHNOLOGIES INC [US]
• [A] US 2005106929 A1 20050519 - MECKLEY TED R [US], et al
• [A] US 4516822 A 19850514 - WOLFEL LEE A [US]
• [A] US 6238235 B1 20010529 - SHAVIT AMIR [IL], et al
• [A] WO 0143239 A1 20010614 - KRONE GMBH [DE], et al

Cited by
US8894448B2; WO2012076382A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA HR MK RS

DOCDB simple family (publication)
EP 1901405 A2 20080319; EP 1901405 A3 20100224

DOCDB simple family (application)
EP 07023972 A 20060808