

Title (en)

Baking oven with a muffle and a cross-flow ventilator

Title (de)

Backofen mit einer Backmuffel und einem Querstromlüfter

Title (fr)

Four de cuisson doté d'un moufle et d'un ventilateur à courant transversal

Publication

EP 1909037 A2 20080409 (DE)

Application

EP 07018245 A 20070918

Priority

DE 102006047587 A 20061005

Abstract (en)

The baking oven (1) comprises a baking muffle (2), a cross-flow ventilator (3) that produces a cooling airflow with a cooling air channel (4), a vapor exhaust channel (6) that flows into the cooling air channel, an orifice area of the vapor exhaust channel directly arranged in the vicinity of the blowing region of the ventilator, at which a suction capacity for the vapor from the exhaust channel adjusts itself with a minimum number of revolutions of the ventilation wheel, and an air channel set for exhausting the mixed air flow from cool air and vapor at the blowing region of the ventilator. The baking oven (1) comprises a baking muffle (2), a cross-flow ventilator (3) that produces a cooling airflow with a cooling air channel (4), a vapor exhaust channel (6) that flows into the cooling air channel, an orifice area of the vapor exhaust channel directly arranged in the vicinity of the blowing region of the ventilator, at which a suction capacity for the vapor from the exhaust channel adjusts itself with a minimum number of revolutions of the ventilation wheel, and an air channel set for exhausting the mixed air flow from cool air and vapor at the blowing region of the ventilator. The vapor from the baking muffle is suckable through the exhaust channel. The orifice area is arranged in flow direction of the cooling airflow behind the ventilation wheel, and is arranged relatively to the ventilator, so that the suction capacity increases with the maximal number of revolutions of the ventilator. The cross-flow ventilator is arranged with a suction opening for the orifice area of the exhaust channel on an assembly part having an opening.

Abstract (de)

Die Erfindung betrifft einen Backofen (1) mit einer Backmuffel (2), wobei ein Querstromlüfter (3) mit einem sich anschließenden Kühlluftkanal (4) einen Kühlstrom erzeugt, dessen Abführung ins Freie erfolgt, und wobei in den Kühlluftkanal (4) ein Wrasenabzugskanal (6) mündet, durch den der Wrasen aus der Backmuffel (2) absaugbar ist. Dabei ist der Mündungsbereich (5) des Wrasenabzugskanals (6) unmittelbar in der Nähe des Ausblasbereichs (7) des Querstromlüfters (3) angeordnet, an dem sich bei einer Mindestdrehzahl des Lüfterrades (8) ein Saugvermögen für den Wrasen aus dem Wrasenabzugskanal (6) einstellt.

IPC 8 full level

F24C 15/20 (2006.01)

CPC (source: EP US)

F24C 15/2007 (2013.01 - EP US)

Cited by

US2012118169A1; US9068754B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK RS

DOCDB simple family (publication)

EP 1909037 A2 20080409; EP 1909037 A3 20101222; EP 1909037 B1 20151111; DE 102006047587 A1 20080410;
US 2008083400 A1 20080410; US 8950389 B2 20150210

DOCDB simple family (application)

EP 07018245 A 20070918; DE 102006047587 A 20061005; US 86790207 A 20071005