

Title (en)

Lever escapement

Title (de)

Ankerhemmung

Title (fr)

Echappement à ancre

Publication

EP 1914605 A1 20080423 (FR)

Application

EP 06021911 A 20061019

Priority

EP 06021911 A 20061019

Abstract (en)

The escapement has an anchor (1) cooperating with a toothed mobile (2) and including two pallets (7, 9), where each pallet includes a pulse face. The pallets are provided in two different planes and cooperate with two respective identical teeth (23, 24) of the toothed mobile. The pallets are laterally remote from each other. The teeth provided on the periphery of the toothed mobile are integrated to each other and are angularly shifted with respect to each other.

Abstract (fr)

Echappement comportant une ancre (1) coopérant avec un mobile denté (2), l'ancre (1) comportant des première et seconde palettes (7,9), chacune desdites palettes comportant une face d'impulsion (14). Les première et seconde palettes (7,9) sont situées dans deux plans différents et coopèrent avec des première et seconde dentures respectives (23,24) du mobile denté (2).

IPC 8 full level

G04B 15/08 (2006.01)

CPC (source: EP)

G04B 15/08 (2013.01)

Citation (search report)

- [A] DE 2520758 A1 19761118 - MERKLE PAUL
- [A] EP 1517197 A1 20050323 - GERBER PAUL [CH]
- [A] US 2133216 A 19381011 - TALIAFERRO EDWARD E
- [A] CH 93617 A 19220316 - TAVANNES WATCH CO SA [CH]
- [A] EP 1045297 A1 20001018 - OMEGA SA [CH]

Cited by

CN109254517A; JP2015025721A; EP2400352A1; CN103026303A; CN105319939A; JP2015025719A; WO2014146842A1; WO2011121432A1; US8757869B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK RS

DOCDB simple family (publication)

EP 1914605 A1 20080423

DOCDB simple family (application)

EP 06021911 A 20061019