

Title (en)
METHOD AND DEVICE FOR CONTROLLING A CLUTCH IN A VEHICLE

Title (de)
VERFAHREN UND VORRICHTUNG ZUR STEUERUNG EINER KUPPLUNG IN EINEM FAHRZEUG

Title (fr)
PROCEDE ET DISPOSITIF DE COMMANDE D'UN EMBRAYAGE DANS UN VEHICULE

Publication
EP 1928716 A4 20121212 (EN)

Application
EP 05779093 A 20050908

Priority
SE 2005001306 W 20050908

Abstract (en)
[origin: WO2007030042A1] Method and device for controlling a clutch (3) in a vehicle comprising as long as the displacement of a throttle control (13) remains within a preselected throttle control creep speed range or a brake control (9) remains within a preselected brake control creep speed range, and a first displaced position is selected within one of said ranges, said first displaced position corresponding to a first vehicle creep speed, a control unit (10, 12, 14, 16) maintains said first vehicle creep speed by controlling at least one of brake actuator, engine and clutch actuator as long as the throttle control or the brake control remains substantially in said first displaced position.

IPC 8 full level
B60W 10/02 (2006.01); **B60W 10/06** (2006.01); **B60W 10/18** (2012.01); **B60W 30/00** (2006.01); **B60W 30/18** (2012.01)

CPC (source: EP)
B60W 30/18063 (2013.01); **B60W 10/02** (2013.01); **B60W 10/06** (2013.01); **B60W 10/18** (2013.01)

Citation (search report)
• [X] DE 10225263 A1 20021219 - LUK LAMELLEN & KUPPLUNGSBAU [DE]
• [X] DE 10209839 A1 20020926 - LUK LAMELLEN & KUPPLUNGSBAU [DE]
• [A] EP 0759514 A2 19970226 - DAIMLER BENZ AG [DE]
• See references of WO 2007030042A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
WO 2007030042 A1 20070315; EP 1928716 A1 20080611; EP 1928716 A4 20121212; JP 2009507702 A 20090226; JP 4804536 B2 20111102

DOCDB simple family (application)
SE 2005001306 W 20050908; EP 05779093 A 20050908; JP 2008529942 A 20050908