

Title (en)

Method and apparatus to control and calibrate the distance between a conveyor roller and a friction retainer in an apparatus for separating sheets from a stack

Title (de)

Verfahren und Vorrichtung zur Regelung und Kalibrierung des Abstandes zwischen einer Rolle und einer Reibvorrichtung eines Gerätes zur Trennung von Blättern von einem Stapel

Title (fr)

Méthode et appareil pour commander et calibrer l'espacement entre un rouleau et un arrêtoir de frottement dans un appareil servant à séparer les feuilles d'une pile

Publication

**EP 1939122 A1 20080702 (EN)**

Application

**EP 06077330 A 20061228**

Priority

EP 06077330 A 20061228

Abstract (en)

In an apparatus for separating sheets from a stack (2), the relative positions of a conveyor roller (5) and a separating surface (9) are adjusted by bringing a single specimen of the sheets to be separated in the separating area (4), activating a drive (11, 24) for driving rotation of the conveyor roller (5), and carrying out at least once an adjustment cycle. The adjustment cycle includes measuring a variable dependent on resistance encountered by the drive (11, 24), checking the measured resistance against a predetermined criterion; and, if the measured value of this variable does not meet the predetermined criterion, operating the adjustment structure (10) to adjust at least the position of the conveyor roller relative to the separating surface or the position of the separating surface (9) relative to the conveyor roller (5) and restarting the adjustment cycle until the measured resistance meets the predetermined criterion.

IPC 8 full level

**B65H 3/52** (2006.01); **B65H 3/06** (2006.01)

CPC (source: EP)

**B65H 3/0669** (2013.01); **B65H 3/0676** (2013.01); **B65H 3/5223** (2013.01); **B65H 3/5284** (2013.01); **B65H 7/18** (2013.01); **B65H 2301/42322** (2013.01); **B65H 2301/42324** (2013.01); **B65H 2511/13** (2013.01); **B65H 2511/135** (2013.01); **B65H 2511/212** (2013.01); **B65H 2511/22** (2013.01); **B65H 2511/224** (2013.01); **B65H 2513/10** (2013.01); **B65H 2513/11** (2013.01); **B65H 2515/30** (2013.01); **B65H 2515/32** (2013.01); **B65H 2553/51** (2013.01); **B65H 2557/23** (2013.01); **B65H 2557/61** (2013.01); **B65H 2601/12** (2013.01)

Citation (search report)

- [X] JP H04197936 A 19920717 - OKI ELECTRIC IND CO LTD
- [Y] JP S62171849 A 19870728 - CANON KK
- [Y] US 5678817 A 19971021 - SAITO YOSHIHIRO [JP], et al
- [Y] JP H04333432 A 19921120 - NEC CORP
- [Y] JP S55111337 A 19800827 - FUJITSU LTD
- [A] US 4603848 A 19860805 - MARKGRAF WILHELM [DE], et al
- [X] US 5172900 A 19921222 - UNO KAZUO [JP], et al
- [A] GB 2156788 A 19851016 - LAUREL BANK MACHINE CO

Cited by

EP2060520A3

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK RS

DOCDB simple family (publication)

**EP 1939122 A1 20080702**

DOCDB simple family (application)

**EP 06077330 A 20061228**