

Title (en)
CLOSING CYLINDER

Title (de)
SCHLIEßZYLINDER

Title (fr)
CYLINDRE DE FERMETURE

Publication
EP 1945892 A1 20080723 (DE)

Application
EP 06805463 A 20061019

Priority
• DE 2006001864 W 20061019
• DE 102005054643 A 20051110

Abstract (en)
[origin: DE102005054643B3] The lock has a housing and a core and respective pins which can be moved by a mechanically coded key into a position allowing rotation of the core. A locking mechanism is controlled by electronic coding of the key. One core pin (13) has a lever (14) arranged such that when the key is withdrawn the pin is in a position such that its lever arm extends beyond both sides of the pin to lock a rotation locking mechanism in a position in which it prevents rotation.

IPC 8 full level
E05B 47/06 (2006.01); **E05B 27/00** (2006.01); **E05B 47/00** (2006.01)

CPC (source: EP)
E05B 27/0021 (2013.01); **E05B 47/063** (2013.01); **E05B 47/0012** (2013.01); **E05B 47/0038** (2013.01); **E05B 2047/0024** (2013.01); **E05B 2047/0092** (2013.01); **E05B 2047/0093** (2013.01)

Citation (search report)
See references of WO 2007054058A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
DE 102005054643 B3 20070215; AT E472030 T1 20100715; CN 101316977 A 20081203; CN 101316977 B 20120829; DE 502006007283 D1 20100805; EP 1945892 A1 20080723; EP 1945892 B1 20100623; ES 2347004 T3 20101022; JP 2009515070 A 20090409; JP 5059771 B2 20121031; PL 1945892 T3 20101231; SI 1945892 T1 20101029; WO 2007054058 A1 20070518

DOCDB simple family (application)
DE 102005054643 A 20051110; AT 06805463 T 20061019; CN 200680044857 A 20061019; DE 2006001864 W 20061019; DE 502006007283 T 20061019; EP 06805463 A 20061019; ES 06805463 T 20061019; JP 2008539230 A 20061019; PL 06805463 T 20061019; SI 200630766 T 20061019