

Title (en)
Reinforcement for stop end panels

Title (de)
Armierung für Abschalungsplatten

Title (fr)
Armature pour plaques de décoffrage

Publication
EP 1947255 A2 20080723 (DE)

Application
EP 08405012 A 20080117

Priority
CH 742007 A 20070117

Abstract (en)

The unit has a wire frame (45) that consists of longitudinal wires (47) and transverse wires (49), which are welded together. The wires exhibit cross sectional surfaces within a range of 0.2 millimeter square to 30 millimeter square. The longitudinal wires are provided in a straight manner, and the transverse wires are sectionally curved in a wavy manner. The transverse wires comprises linear sections (55) between adjacent wave shaped areas (51), and the wire frame has a frame opening (57) in the area of the linear sections. An independent claim is also included for a method for manufacturing the reinforcement unit.

Abstract (de)

Die Armierung (17) für eine Abschalungsplatte (5) umfasst ein Drahtgitter (45) mit zusammengeschweißten Längsdrähten (47) und Querdrähten (49). Das Drahtgitter (45) kann aus der Gitterebene hervorragende, umgeformte Bereiche umfassen, die als Haltemittel für die Abschalungsplatte (5) genutzt werden kann.

IPC 8 full level
E04B 5/32 (2006.01); **E04C 5/06** (2006.01)

CPC (source: EP)
E04B 5/32 (2013.01); **E04B 2005/322** (2013.01); **E04B 2005/324** (2013.01); **E04C 5/0627** (2013.01)

Citation (applicant)

- EP 1327732 A1 20030716 - SYSTEM ALBANESE [CH]
- EP 0927796 A1 19990707 - SYSTEM ALBANESE [CH]

Cited by
EP2103752A1; WO2009115286A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA MK RS

DOCDB simple family (publication)

EP 1947255 A2 20080723; EP 1947255 A3 20130703; EP 1947255 B1 20190313; EP 1947257 A2 20080723; EP 1947257 A3 20130703;
EP 1947257 B1 20190313

DOCDB simple family (application)

EP 08405012 A 20080117; EP 08405014 A 20080117