

Title (en)
Electromechanical locking system

Title (de)
Elektromechanisches Schließsystem

Title (fr)
Système de fermeture électromécanique

Publication
EP 1953314 B1 20090909 (DE)

Application
EP 08150447 A 20080121

Priority
DE 102007005214 A 20070129

Abstract (en)
[origin: EP1953314A1] The coupling for rotationally fixed coupling of two coaxial shafts (110,120) of an electromechanical locking system has a rotatable disc (150) which is driven by a motor (162) and which has an annular segment-form region with at least one ramp. A control pin, which is connected to one of the shafts, is spring-loaded in the direction of the annular segment-form region and by a rotation of the control disc is movable in its longitudinal direction by sliding over the ramp. Independent claims are included for the following: (1) an electromechanical locking system with the proposed coupling; and (2) a control disc knob (100) for an electromechanical locking system.

IPC 8 full level
E05B 47/00 (2006.01); **E05B 47/06** (2006.01)

CPC (source: EP)
E05B 47/0012 (2013.01); **E05B 47/0615** (2013.01); **E05B 47/0642** (2013.01); **E05B 47/068** (2013.01); **E05B 2047/0017** (2013.01);
E05B 2047/002 (2013.01); **E05B 2047/0026** (2013.01)

Cited by
DE102015007872B3; EP3498947A1; WO2019121715A1; DE102020104930A1; DE102020104930B4; EP2436858B1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
EP 1953314 A1 20080806; EP 1953314 B1 20090909; AT E442499 T1 20090915; DE 102007005214 B3 20080612;
DE 502008000098 D1 20091022

DOCDB simple family (application)
EP 08150447 A 20080121; AT 08150447 T 20080121; DE 102007005214 A 20070129; DE 502008000098 T 20080121