Title (en)
Locking unit

Title (de)
Sperreinheit

Title (fr)
Unité de verrouillage

Publication
EP 1990485 A1 20081112 (EN)

Application
EP 07107704 A 20070508

Priority
EP 07107704 A 20070508

Abstract (en)
The invention provides a locking unit (4) for a door (2) or the like comprising an operating device (5) that can be moved from a closed position into an open position, a locking means (10) that can be moved by the operating device (5) from a first position where the door (2) is locked and cannot be opened into a second position where the door (2) can be opened, a blocking means (8) that can be moved from a first position where the operating device (5) is blocked in its closed position into a second position where the operating device (5) is not blocked and can be moved from its closed position into its open position, at least two actuating devices (16, 17) interacting with the blocking means (8), and a control element (14) for overriding at least one actuating device (16, 17).

IPC 8 full level
E05B 1/00 (2006.01); **E05B 13/00** (2006.01); **E05B 47/06** (2006.01); **E05B 63/00** (2006.01)

CPC (source: EP)
E05B 1/0092 (2013.01); **E05B 13/00** (2013.01); **E05B 47/0657** (2013.01); **E05B 63/0065** (2013.01); E05B 47/0012 (2013.01); E05B 63/0069 (2013.01); G07C 9/00174 (2013.01)

Citation (search report)
- [X] DE 20315488 U1 20031211 - CHIANG CHING HUA [TW]
- [X] DE 4006072 C1 19910404
- [DX] EP 0526522 B1 19940323 - RAMSAUER DIETER [DE]
- [X] WO 2005073489 A1 20050811 - ASSA ABLOY AUSTRALIA PTY LTD [AU], et al
- [A] EP 1253266 A2 20021030 - TAKIGEN MFG CO [JP]

Cited by
EP2011935A1; CN104420712A; WO2008145302A3; WO2009115229A1; WO2010115545A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA HR MK RS

DOCDB simple family (publication)
EP 1990485 A1 20081112; WO 2008140944 A1 20081120

DOCDB simple family (application)
EP 07107704 A 20070508; US 2008062127 W 20080501