

Title (en)

Pneumatic cylinder with self-adjusting cushioning at the end of stroke and corresponding method

Title (de)

Pneumatikzylinder mit einer selbsteinstellenden Endlagendämpfung und entsprechendes Verfahren

Title (fr)

Cylindre pneumatique avec amortissement à réglage automatique en position finale et procédé

Publication

EP 1998054 B1 20140813 (DE)

Application

EP 08156234 A 20080515

Priority

- AT 8282007 A 20070524
- AT 7142008 A 20080505

Abstract (en)

[origin: EP1998054A2] The cylinder (1) has an end position damping arrangement with a stroke space (9) that is delimited by a movable stroke element (7). The space is connected via a connecting duct (14) by working pressure (P1) or by ventilation pressure. The element is pressurized by a damping pressure (P2) via a damping duct (16) that includes a non-return valve (12) in the connecting duct upstream of the space. The valve blocks in direction of the working or ventilation pressure and includes a ventilation duct (5). The ventilation duct is opened by the element and is connected to the outlet duct. An independent claim is also included for a method for self-adjusting end position damping of a cylinder position.

IPC 8 full level

F15B 15/22 (2006.01)

CPC (source: EP US)

F15B 15/223 (2013.01 - EP US)

Cited by

DE102016002705A1; CN102235400A; DE102011051400B3; EP2541073A3; US9080584B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)

EP 1998054 A2 20081203; EP 1998054 A3 20120815; EP 1998054 B1 20140813; US 2008289920 A1 20081127; US 8596431 B2 20131203

DOCDB simple family (application)

EP 08156234 A 20080515; US 15362008 A 20080521