

Title (en)

PROCESS AND DEVICE FOR DETERMINING THE DISTANCE BETWEEN THE ROLLERS OF SUPPORT ROLLERS AND THE STRAND GUIDER STRUCTURE OF A CONTINUOUS STRAND CASTING FACILITY

Title (de)

VERFAHREN UND VORRICHTUNG FÜR DIE BESTIMMUNG DER ROLLENABSTÄNDE VON STÜTZROLLEN UND STRANGFÜHRUNGSGERÜST EINER STRANGGIESSANLAGE

Title (fr)

PROCÉDÉ ET DISPOSITIF DE DÉTERMINATION DES DISTANCES DE ROULEAUX DE ROULEAUX D'APPUI ET BÂTI DE GUIDAGE DE BARRE D'UNE INSTALLATION DE COULÉE CONTINUE

Publication

EP 2010348 A1 20090107 (DE)

Application

EP 07723964 A 20070404

Priority

- EP 2007003023 W 20070404
- DE 102006018757 A 20060422

Abstract (en)

[origin: WO2007121838A1] A process for determining the distance between rollers (4) of support rollers (5) and the corresponding strand guider framework (3) of a continuous strand casting facility (1) for the casting of liquid metals, especially liquid steel materials, is based on the effects of bulging (9) at bath level and suggests that those varying roller distances (4c) that have a total length profile (F) resulting from the individual frequency of each supporting roller (5) be combined, from which an optimal value for a maximum damping of all bulging effects (9) such as, for example, bath level fluctuations (10) is determined, upon which optimal roller distance (4c) is calibrated.

IPC 8 full level

B22D 11/128 (2006.01)

CPC (source: EP)

B22D 11/128 (2013.01)

Citation (search report)

See references of WO 2007121838A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK RS

DOCDB simple family (publication)

DE 102006018757 A1 20071025; CN 101426603 A 20090506; CN 101426603 B 20111005; EP 2010348 A1 20090107;
WO 2007121838 A1 20071101

DOCDB simple family (application)

DE 102006018757 A 20060422; CN 200780014452 A 20070404; EP 07723964 A 20070404; EP 2007003023 W 20070404