

Title (en)

Sewing machine and method for sewing a beginning of a seam with such a sewing machine

Title (de)

Nähmaschine sowie Verfahren zum Nähen eines Nahtanfangs mit einer derartigen Nähmaschine

Title (fr)

Machine à coudre et procédé destiné à coudre un début de couture à l'aide d'une telle machine à coudre

Publication

EP 2028311 B1 20131009 (DE)

Application

EP 08014040 A 20080806

Priority

DE 102007039596 A 20070822

Abstract (en)

[origin: EP2028311A2] The sewing machine has a stringing device (24), which is arranged in an upper thread course between a thread take-up lever (18) and another upper thread clamp (28) and is controlled in a transposable manner between a neutral position and a stringing position. The upper thread (9) takes a thread path between the thread take-up lever and the upper thread-main clamping device (21) in the neutral position. The upper thread takes another thread path between the thread take-up lever and the upper thread-main clamping device in the stringing position. An independent claim is included for a method for sewing a beginning of a seam with a sewing machine.

IPC 8 full level

D05B 47/04 (2006.01)

CPC (source: EP KR)

D05B 1/02 (2013.01 - KR); **D05B 19/12** (2013.01 - KR); **D05B 19/14** (2013.01 - KR); **D05B 47/00** (2013.01 - KR); **D05B 47/04** (2013.01 - EP)

Cited by

EP2497852A1; DE102011005198A1; DE102017206499B3; DE102017201240A1; EP2453050A1; DE102010043906A1; ITVE20090067A1; EP2733246A1; EP3354784A1; TWI787232B; EP3392388A1; EP4257739A1; DE102022203472A1

Designated contracting state (EPC)

CZ DE RO

DOCDB simple family (publication)

EP 2028311 A2 20090225; **EP 2028311 A3 20111019**; **EP 2028311 B1 20131009**; CN 101372797 A 20090225; CN 101372797 B 20130102; DE 102007039596 A1 20090226; JP 2009045468 A 20090305; JP 5508698 B2 20140604; KR 101410571 B1 20140623; KR 20090020495 A 20090226

DOCDB simple family (application)

EP 08014040 A 20080806; CN 200810213326 A 20080822; DE 102007039596 A 20070822; JP 2008212776 A 20080821; KR 20080081354 A 20080820