

Title (en)
SPLICER DEVICE

Title (de)
SPLEISSVORRICHTUNG

Title (fr)
DISPOSITIF D'ÉPISSAGE

Publication
EP 2033921 B1 20160330 (EN)

Application
EP 07744903 A 20070607

Priority
• JP 2007061576 W 20070607
• JP 2006161671 A 20060609

Abstract (en)
[origin: EP2033921A1] The invention relates to a splicer apparatus capable of being downsized and preventing an operation failure caused by fibrous dust. A yarn (12a) selected by a yarn selecting portion (3) among yarns (12), held by a yarn holder (13) is put in a groove (7a) of a splicing nozzle (7) by a yarn guide lever (14) and pieced into a currently used yarn (12b). Then, the currently used yarn (12b) is cut by a cutter (30) and switched over to another yarn. A yarn lint produced is sucked by a suction portion (19). A base (2) has a partition wall (100). First and second motors (4, 5) which drive the yarn guide lever (14) and the cutter (30), respectively, are disposed on the partition wall (100) on an opposite side of the yarn holder (13), the yarn guide lever (14), the splicing nozzle (7), the suction portion (19) and the cutter (30).

IPC 8 full level
B65H 69/06 (2006.01); **B65H 69/00** (2006.01); **D01H 15/00** (2006.01); **D04B 7/26** (2006.01); **D04B 15/00** (2006.01); **D04B 15/56** (2006.01)

CPC (source: EP KR)
B65H 69/00 (2013.01 - EP); **B65H 69/06** (2013.01 - KR); **B65H 69/061** (2013.01 - EP); **D01H 15/00** (2013.01 - KR); **D04B 7/26** (2013.01 - EP); **D04B 15/00** (2013.01 - EP); **D04B 15/56** (2013.01 - KR); **B65H 2701/31** (2013.01 - EP)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
EP 2033921 A1 20090311; **EP 2033921 A4 20120704**; **EP 2033921 B1 20160330**; CN 101466628 A 20090624; CN 101466628 B 20120530; JP 4977699 B2 20120718; JP WO2007142310 A1 20091029; KR 101329121 B1 20131114; KR 20090047399 A 20090512; WO 2007142310 A1 20071213

DOCDB simple family (application)
EP 07744903 A 20070607; CN 200780021413 A 20070607; JP 2007061576 W 20070607; JP 2008520625 A 20070607; KR 20087031845 A 20070607