

Title (en)
SAFETY SWITCHING DEVICE FOR INTERLOCKING A PROTECTION DEVICE

Title (de)
SICHERHEITSSCHALTEINRICHTUNG FÜR DIE VERRIEGELUNG EINER SCHUTZEINRICHTUNG

Title (fr)
DISPOSITIF DE COMMUTATION DE SECURITÉ POUR LE VERROUILLAGE D'UN DISPOSITIF DE PROTECTION

Publication
EP 2047494 B1 20140402 (DE)

Application
EP 07786406 A 20070728

Priority
• EP 2007006696 W 20070728
• DE 102006036514 A 20060804

Abstract (en)
[origin: DE102006036514B3] The safety switch device has a housing (105) and a locking slot (30). The locking slot is developed in the housing for inserting an actuating element for the switch gear. The actuating element consists of a lock (32) provided with a window, and the window is locked in actuating direction with a front cross web (34). The locking bolt (20) is moved longitudinally in relocatable manner by a feeder in locked position and moved back in release position perpendicular to the actuating position of the lock. A control disc (10) is actuated by the lock. The lock is rotary and perpendicular to the actuating direction of lock and perpendicular to the locking bolt motion. The control disc has an inner space, where locking bolt end (21) terminates. The control disc has a recess, which is formed at a periphery, with position is in reference to the locking slot, such that the front cross web of the lock is seized in the recess. The extraction of the lock is blocked and the locking disc end leaves the window by deactivating the feeder.

IPC 8 full level
H01H 27/00 (2006.01)

CPC (source: EP)
H01H 27/002 (2013.01); **H01H 27/007** (2013.01)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
DE 102006036514 B3 20080110; EP 2047494 A1 20090415; EP 2047494 B1 20140402; ES 2476245 T3 20140714;
WO 2008014946 A1 20080207

DOCDB simple family (application)
DE 102006036514 A 20060804; EP 07786406 A 20070728; EP 2007006696 W 20070728; ES 07786406 T 20070728