

Title (en)
MECHANISM FOR MASSAGING THE LOWER PARTS OF A USER'S LEGS

Title (de)
MECHANISMUS ZUR MASSAGE DER UNTEREN TEILE EINES BEINS EINES ANWENDERS

Title (fr)
MÉCANISME POUR LE MASSAGE DES PARTIES INFÉRIEURES DES JAMBES D'UN UTILISATEUR

Publication
EP 2055289 B1 20190515 (EN)

Application
EP 07704729 A 20070215

Priority

- ES 2007000015 W 20070215
- ES 200601949 A 20060721

Abstract (en)
[origin: EP2055289A1] It comprises two pairs of massaging discs (1a, 1b) connected to an actuating mechanism (4) and joined in a fixed and eccentric manner and in convergent inclined planes to respective rotary axes (A, B), the discs being designed for massaging opposite sides of the lower part of a leg (3a, 3b); at least one clutch mechanism (5) with an internal housing (6) that comprises two stop elements (6a, 6b), a channel (6c) of arcuate vertical cross section between said stop elements (6a, 6b) and a projection (6d) between the stops (6a, 6b); an intermediate massaging element (15, 18, 21) whose massaging surface is at least semicylindrical and is actuated by performing a transverse movement over the surface to be massaged; an intermediate massaging element consisting of a plate (27) provided with vibration means for applying a vibrating massage; and means for regulating the distance between the discs (1a, 1b; 2a, 2b), in order to adapt to the size of the part to be massaged.

IPC 8 full level
A61H 15/00 (2006.01)

CPC (source: EP ES)
A61H 15/0078 (2013.01 - EP ES); **A61H 7/007** (2013.01 - EP); **A61H 23/02** (2013.01 - EP); **A61H 2015/0035** (2013.01 - EP)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
EP 2055289 A1 20090506; EP 2055289 A4 20160323; EP 2055289 B1 20190515; ES 2289944 A1 20080201; ES 2289944 B1 20081216;
ES 2741889 T3 20200212; WO 2008012379 A1 20080131

DOCDB simple family (application)
EP 07704729 A 20070215; ES 07704729 T 20070215; ES 200601949 A 20060721; ES 2007000015 W 20070215