

Title (en)

FIRE-RESISTANT DOOR AND METHOD FOR THE MANUFACTURE OF AN EDGE BEAM, A REINFORCEMENT STRIP AND GLAZING BEAMS FOR THAT DOOR

Title (de)

-

Title (fr)

PORTE RÉSISTANTE AU FEU ET PROCÉDÉ DE FABRICATION D'UNE POUTRE DE BORD, BANDE DE RENFORCEMENT ET POUTRES DE VITRAGE POUR LADITE PORTE

Publication

EP 2059649 A1 20090520 (EN)

Application

EP 07808511 A 20070831

Priority

- NL 2007000213 W 20070831
- NL 1032436 A 20060905

Abstract (en)

[origin: WO2008030087A1] Door which is provided along at least one peripheral side with a fire-retardant edge beam, for instance a fire-retardant stile or beam, door provided with a stabilizing strip and a reinforcement strip therefor, and door provided with glazing beams for receiving a glass panel, wherein the edge beam, the reinforcement strip and each of the glazing beams is manufactured from a solid elongate body, in which at least one longitudinal groove is formed extending in the position of use in a direction parallel to the main plane of the door, in which longitudinal groove is received a fire-resistant material introduced in liquid state and subsequently cured, and method for manufacturing such edge beams, reinforcement strips and glazing beams.

IPC 8 full level

E06B 3/10 (2006.01); **E06B 5/16** (2006.01)

CPC (source: EP)

E06B 5/16 (2013.01); **E06B 5/161** (2013.01); **E06B 5/162** (2013.01); **E06B 5/164** (2013.01); **E06B 3/105** (2013.01); **E06B 2003/7073** (2013.01)

Citation (search report)

See references of WO 2008030087A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK RS

DOCDB simple family (publication)

WO 2008030087 A1 20080313; EP 2059649 A1 20090520; EP 2059649 B1 20130508; NL 1032436 C2 20080306; RU 2009105759 A 20101020; RU 2412322 C2 20110220

DOCDB simple family (application)

NL 2007000213 W 20070831; EP 07808511 A 20070831; NL 1032436 A 20060905; RU 2009105759 A 20070831