

Title (en)
PLASTIC HINGED STOPPER

Title (de)
KUNSTSTOFFSCHARNIERSTOPPER

Title (fr)
BOUCHON ARTICULE EN MATIERE PLASTIQUE

Publication
EP 2125556 A1 20091202 (FR)

Application
EP 08775603 A 20080227

Priority

- FR 2008000253 W 20080227
- FR 0701447 A 20070228

Abstract (en)
[origin: FR2913002A1] The stopper (1) has a tubular base (10) including two elongated areas (14) with less mechanical resistance, which extend in the length of an upper end (10A) of the base to a longitudinal lower end (10B). The elongated areas are formed on the upper end of an articulation (30) with a flake (31), and provided to break before the articulation is not tear completely when a cover (20) is driven in rotation around a torsion geometrical axis that is transversal to a tilting axis (A-A) in an open position.

IPC 8 full level
B65D 55/16 (2006.01)

CPC (source: EP US)
B65D 55/16 (2013.01 - EP US)

Citation (search report)
See references of WO 2008132295A1

Cited by
CN110573433A

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
FR 2913002 A1 20080829; FR 2913002 B1 20090410; AT E490193 T1 20101215; CA 2678826 A1 20081106; CA 2678826 C 20150428;
DE 602008003763 D1 20110113; EP 2125556 A1 20091202; EP 2125556 B1 20101201; ES 2355539 T3 20110328;
MX 2009009152 A 20090903; PL 2125556 T3 20110429; PT 2125556 E 20101223; US 2011000871 A1 20110106; WO 2008132295 A1 20081106

DOCDB simple family (application)
FR 0701447 A 20070228; AT 08775603 T 20080227; CA 2678826 A 20080227; DE 602008003763 T 20080227; EP 08775603 A 20080227;
ES 08775603 T 20080227; FR 2008000253 W 20080227; MX 2009009152 A 20080227; PL 08775603 T 20080227; PT 08775603 T 20080227;
US 44966208 A 20080227