

Title (en)

CIRCUIT CONFIGURATION FOR CONTROLLING AT LEAST ONE FLUORESCENT LAMP

Title (de)

SCHALTUNGSAORDNUNG ZUR ANSTEUERUNG MINDESTENS EINER LEUCHTSTOFFFLAMPE

Title (fr)

MONTAGE DE COMMANDE D'AU MOINS UNE LAMPE FLUORESCENTE

Publication

EP 2127499 B1 20110216 (DE)

Application

EP 07727469 A 20070329

Priority

EP 2007052997 W 20070329

Abstract (en)

[origin: WO2008119376A1] A circuit configuration for controlling at least one fluorescent lamp is disclosed, wherein the circuit configuration comprises the following characteristics: (i) a half-bridge inverter having at least one downstream load circuit, (ii) at least one coupled capacitor connected to the load circuit and to the half-bridge inverter, (iii) a control device for the half-bridge inverter, the load circuit having connections for at least one fluorescent lamp, (iv) a detector circuit comparing a first voltage to a reference voltage and generating an output signal for actuating the half-bridge inverter based on at least two comparators, wherein the first voltage corresponds to a voltage drop at the at least one coupled capacitor or to a voltage drop modified by a voltage divider at the at least one coupled capacitor.

IPC 8 full level

H05B 41/298 (2006.01)

CPC (source: EP)

H05B 41/2985 (2013.01)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2008119376 A1 20081009; AT E498989 T1 20110315; CN 101637067 A 20100127; CN 101637067 B 20130619;
DE 502007006528 D1 20110331; EP 2127499 A1 20091202; EP 2127499 B1 20110216

DOCDB simple family (application)

EP 2007052997 W 20070329; AT 07727469 T 20070329; CN 200780052228 A 20070329; DE 502007006528 T 20070329;
EP 07727469 A 20070329