Title (en)

PLASMA NOZZLE

Title (de)

PLASMADUSE

Title (fr)

BUSE A PLASMA

Publication

EP 2143307 B1 20110622 (DE)

Application

EP 08716278 A 20080305

Priority

- EP 2008001761 W 20080305
- DE 102007010996 A 20070305

Abstract (en

[origin: WO2008107180A1] The invention relates to a plasma die and to a method for the treatment of surfaces of work pieces with plasma dies, comprising a housing (1), which has a first electrode unit (3) with which a first die channel (15) is associated, wherein the first die channel (15) has at least one electrically conductive wall and is insulated from the first electrode unit, and said housing accommodating at least one additional electrode unit (3'), having means for applying a voltage between the first and second electrode units (3, 3') and additionally having means (11) for supplying a process gas flow to each electrode unit (3, 3'), wherein a separate die channel (15) is associated with the at least one additional electrode unit (3'), said die channel having an electrically conductive wall that is insulated from the associated electrode unit (3'), said separate die channels (15) being disposed such that the process gas flows unite and form in a common die exit opening (16) of a die tip (14), and the walls of the first and second die channels (15) are directly electrically connected to one another.

IPC 8 full level

H05H 1/44 (2006.01)

CPC (source: EP)

H05H 1/44 (2013.01)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)

DE 102007010996 A1 20080911; AT E514319 T1 20110715; DK 2143307 T3 20111010; EP 2143307 A1 20100113; EP 2143307 B1 20110622; ES 2368189 T3 20111115; WO 2008107180 A1 20080912; WO 2008107180 A8 20091126

DOCDB simple family (application)

DE 102007010996 À 20070305; AT 08716278 T 20080305; DK 08716278 T 20080305; EP 08716278 A 20080305; EP 2008001761 W 20080305; ES 08716278 T 20080305