

Title (en)
DEVICE FOR LOCKING A LOCK

Title (de)
VORRICHTUNG ZUM SPERREN EINES SCHLOSSES

Title (fr)
DISPOSITIF DE VERROUILLAGE D'UNE SERRURE

Publication
EP 2155990 A1 20100224 (DE)

Application
EP 08747911 A 20080605

Priority
• AT 2008000195 W 20080605
• AT 9512007 A 20070619

Abstract (en)
[origin: WO2008154664A1] The invention relates to a device for locking a lock, wherein an actuating member (6) can be coupled to a locking device, such as a locking lug (2), while interposing a clutch device, the coupling device comprising a driver element (7, 7', 7'', 15, 25, 30, 30', 36, 36') and an actuator (8, 8', 8'', 16, 24, 31, 31', 38, 38') made of an electro-active polymer, wherein the driver element (7, 7', 7'', 15, 25, 30, 30', 36, 36') can be moved with help of the actuator (8, 8', 8'', 16, 24, 31, 31', 38, 38') between an engaged and a disengaged position.

IPC 8 full level
E05B 47/00 (2006.01); **E05B 13/00** (2006.01)

CPC (source: EP US)
E05B 47/0615 (2013.01 - EP US); **E05B 47/063** (2013.01 - EP US); **E05B 47/0634** (2013.01 - EP US); **E05B 47/0649** (2013.01 - EP US); **E05B 47/0653** (2013.01 - EP US); **E05B 47/0661** (2013.01 - EP US); **E05B 47/0673** (2013.01 - EP US); **E05B 47/068** (2013.01 - EP US); **E05B 47/0692** (2013.01 - EP US); **E05B 47/0009** (2013.01 - EP US); **Y10T 70/7062** (2015.04 - EP US)

Citation (search report)
See references of WO 2008154664A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
WO 2008154664 A1 20081224; AT 504333 A4 20080515; AT 504333 B1 20080515; AT 504333 B8 20080915; EP 2155990 A1 20100224; IL 202326 A0 20100630; JP 2010530486 A 20100909; RU 2010101332 A 20110727; US 2010126240 A1 20100527

DOCDB simple family (application)
AT 2008000195 W 20080605; AT 9512007 A 20070619; EP 08747911 A 20080605; IL 20232609 A 20091125; JP 2010512460 A 20080605; RU 2010101332 A 20080605; US 45194508 A 20080605