

Title (en)
ARMATURE STROKE ADJUSTMENT FOR SOLENOID VALVE

Title (de)
ANKERHUBEINSTELLUNG FÜR MAGNETVENTIL

Title (fr)
AJUSTEMENT DE TRAJET D'ARMATURE POUR ÉLECTROVANNE

Publication
EP 2156046 A1 20100224 (DE)

Application
EP 08750284 A 20080514

Priority
• EP 2008055896 W 20080514
• DE 102007025614 A 20070601

Abstract (en)
[origin: WO2008145514A1] Fuel injector (10) having a holding body (12), into which a solenoid valve (14) is let which actuates an injection valve element of preferably needle-shaped configuration and has an armature assembly (30) which has an armature plate (32) and an armature stroke stop (40), and a sealing seat (42) is opened or closed by the armature assembly (30). A magnetic core (22) of the solenoid valve (14) is supported on a guide sleeve (60, 62, 64) which for its part is received on the valve element (46) such that it encloses a sealing seat (42, 86).

IPC 8 full level
F02M 47/02 (2006.01); **F02M 59/46** (2006.01); **F02M 61/16** (2006.01); **F02M 63/00** (2006.01)

CPC (source: EP)
F02M 47/027 (2013.01); **F02M 61/168** (2013.01); **F02M 63/0007** (2013.01); **F02M 63/0042** (2013.01); **F02M 63/0071** (2013.01); **F02M 63/0075** (2013.01); **F02M 63/0077** (2013.01); **F02M 63/008** (2013.01); **F02M 63/0015** (2013.01); **F02M 63/004** (2013.01); **F02M 63/0043** (2013.01); **F02M 2200/8092** (2013.01); **F02M 2200/9076** (2013.01)

Citation (search report)
See references of WO 2008145514A1

Cited by
EP2171258B1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
DE 102007025614 A1 20081204; AT E538302 T1 20120115; CN 101680406 A 20100324; CN 101680406 B 20120808; EP 2156046 A1 20100224; EP 2156046 B1 20111221; WO 2008145514 A1 20081204

DOCDB simple family (application)
DE 102007025614 A 20070601; AT 08750284 T 20080514; CN 200880018470 A 20080514; EP 08750284 A 20080514; EP 2008055896 W 20080514