

Title (en)  
METHOD AND DEVICE FOR DETECTING TRAFFIC JAMS

Title (de)  
VERFAHREN UND EINRICHTUNG ZUM DETEKTIEREN VON STAUS

Title (fr)  
PROCÉDÉ ET DISPOSITIF DE DÉTECTION DE BOUCHONS ROUTIERS

Publication  
**EP 2162871 B1 20110223 (FR)**

Application  
**EP 08805832 A 20080522**

Priority

- FR 2008050887 W 20080522
- FR 0755458 A 20070605

Abstract (en)  
[origin: WO2008152279A2] The invention relates to a method for detecting traffic probes on one or more driving lanes (1). It is characterised in that the lane (1) is confined into a reduced capacity area (A), a first area (B) upstream for area (A), a second area (C) upstream from area (B), and in that it comprises determining over a period (T) the speed spectrum (V) of the vehicles on the lane (1) in each of the areas (A, B, C) using an acquisition means (3), calculating in real time the average speed (VM) in each of the areas using an analysis means (4) to which said speeds (V) are communicated via local communication means (5), comparing said average speed to a first threshold (VB) and a second threshold (VH) in said area using the analysis means (4), and triggering a congestion alarm if the average speed (VM) is lower than the first threshold (VB). The invention further relates to a mobile device for implementing said method.

IPC 8 full level  
**G08G 1/16** (2006.01); **G08G 1/01** (2006.01)

CPC (source: EP)  
**G08G 1/052** (2013.01); **G08G 1/096716** (2013.01); **G08G 1/096758** (2013.01); **G08G 1/096783** (2013.01)

Cited by  
CN109147350A

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)  
**FR 2917219 A1 20081212; FR 2917219 B1 20090807**; AT E499672 T1 20110315; DE 602008005147 D1 20110407; EP 2162871 A2 20100317; EP 2162871 B1 20110223; WO 2008152279 A2 20081218; WO 2008152279 A3 20090212

DOCDB simple family (application)  
**FR 0755458 A 20070605**; AT 08805832 T 20080522; DE 602008005147 T 20080522; EP 08805832 A 20080522; FR 2008050887 W 20080522