

Title (en)
SYSTEM OF A PLURALITY OF FIBER OPTIC DISTRIBUTION DEVICES

Title (de)
SYSTEM AUS MEHREREN LICHTWELLENLEITERVERTEILEREINRICHTUNGEN

Title (fr)
SYSTÈME CONSTITUÉ DE PLUSIEURS DISPOSITIFS RÉPARTITEURS DE FIBRES OPTIQUES

Publication
EP 2174174 A1 20100414 (DE)

Application
EP 08784764 A 20080715

Priority
• EP 2008005755 W 20080715
• DE 202007010780 U 20070731

Abstract (en)
[origin: WO2009015765A1] The invention relates to a system comprising a plurality of fiber optic distribution devices, said system having a first number of logical groups of fiber optic distribution devices, wherein each logical group comprises a second number of fiber optic distribution devices and wherein: a) in order to guarantee a structured wiring of fiber optic assemblies within a logical group of fiber optic distribution devices, only two lengths of prefabricated patch cable are provided, namely, a first length that is designed for wiring fiber optic assemblies within a fiber optic distribution device, and a second length that is designed for wiring fiber optic assemblies between fiber optic distribution devices located at a maximum distance from one another within the respective logical group. When it is necessary to wire fiber optic assemblies between fiber optic distribution devices within the same logical group that are not located at a maximum distance from one another, the corresponding excess length of the patch cable designed for the maximum distance may be deposited inside the respective target fiber optic distributor device in an excess length storage device of the target fiber optic distribution device; b) in order to guarantee a structured wiring of fiber optic assemblies of two different logical groups of fiber optic distribution devices, a length of prefabricated patch cable is provided that is designed for wiring fiber optic assemblies of fiber optic distribution devices located in the two logical groups at a maximum distance from one another. When it is necessary to wire fiber optic assemblies of fiber optic distribution devices in the two logical groups that are not located at a maximum distance from one another, the corresponding excess length of the patch cable designed for the maximum distance may be deposited inside the respective target fiber optic distributor device in an excess length storage device of the target fiber optic distribution device.

IPC 8 full level
G02B 6/44 (2006.01)

CPC (source: EP US)
G02B 6/4452 (2013.01 - US); **G02B 6/44524** (2023.05 - EP)

Citation (search report)
See references of WO 2009015765A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
DE 202007010780 U1 20070927; AU 2008281027 A1 20090205; EP 2174174 A1 20100414; US 2010129040 A1 20100527;
WO 2009015765 A1 20090205

DOCDB simple family (application)
DE 202007010780 U 20070731; AU 2008281027 A 20080715; EP 08784764 A 20080715; EP 2008005755 W 20080715;
US 69762810 A 20100201