

Title (en)
TOOTHED WHEEL GEARING (VARIANTS) AND A PLANETARY TOOTHED MECHANISM BASED THEREON (VARIANTS)

Title (de)
ZAHNRADGETRIEBE (VARIANTEN) UND DARAUF BASIERENDER PLANETENZAHNRADMECHANISMUS (VARIANTEN)

Title (fr)
ENGRENAGE DE ROUES DENTÉES (VARIANTES) ET MÉCANISME DENTÉ PLANÉTAIRE REPOSANT SUR CELUI-CI (VARIANTES)

Publication
EP 2177788 A4 20110518 (DE)

Application
EP 08794017 A 20080609

Priority

- RU 2008000366 W 20080609
- RU 2007125891 A 20070709
- RU 2007134617 A 20070831
- RU 2008107285 A 20080226

Abstract (en)
[origin: WO2009008767A1] The inventive wheel gearing with curved teeth is used for designing small-sized mechanical transmissions for transmitting rotational motion at a high transmission ratio in one stage. The small gear wheel (16) has one tooth, the end cross-section of which is shaped in the form of a circle (3) which is eccentrically shifted with respect to the axis 001 of the wheel (16). The curved tooth of the wheel (16) (screwed eccentric) is formed by successively displacing the circle (3) along the axis 001 and by continuously rotating it about the axis. The big wheel (17) has screwed teeth which are formed by pivoting a cycloidal curve (5) and are conjugated with the helicoidal surface of the gear (16). The gearing has a continuous contact line along the entire tooth length, wherein an annular rundle and a cycloid having minimum friction losses are engaged. In order to remove axial loads generated in the meshing of screwed teeth, the wheels (16, 17) are provided with herringbone teeth. A similar eccentric cycloidal gearing can be designed in the form of compound wheels. Cylindrical reducing gear trains with parallel shafts, conical reducing gear trains with crossing shafts and planetary transmissions designed according to David's and James' diagrams, exhibiting high loading characteristics and having smaller sizes can be based on said gearing.

IPC 8 full level
F16H 1/32 (2006.01); **F16H 55/08** (2006.01)

CPC (source: EP US)
F16H 1/08 (2013.01 - EP US); **F16H 1/28** (2013.01 - EP US); **F16H 1/32** (2013.01 - EP US); **F16H 55/08** (2013.01 - EP US); **Y10T 74/19647** (2015.01 - EP US); **Y10T 74/19651** (2015.01 - EP US); **Y10T 74/19688** (2015.01 - EP US); **Y10T 74/19698** (2015.01 - EP US)

Citation (search report)

- [I] GB 612963 A 19481119 - TELEPAR AB
- [E] WO 2008079011 A1 20080703 - MCI MIRROR CONTROLS INT NL BV [NL], et al
- See references of WO 2009008767A1

Cited by
DE102012223654A1; WO2014096061A1; CN103075493A; FR3032767A1; CN109154363A; CN105121910A; CN113167367A; US10421481B2; WO2013004029A1; WO2013045104A1; WO2023281249A1; EP3779240A4; EP4280433A3; US11894753B2; WO2024038083A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
EP 2177788 A1 20100421; **EP 2177788 A4 20110518**; **EP 2177788 B1 20130320**; EA 015293 B1 20110630; EA 200901568 A1 20100630; US 2010095792 A1 20100422; US 8157691 B2 20120417; WO 2009008767 A1 20090115

DOCDB simple family (application)
EP 08794017 A 20080609; EA 200901568 A 20080609; RU 2008000366 W 20080609; US 64419009 A 20091222